Civil Engineering Database Keyword Index

The **Civil Engineering Database (CEDB)** is designed to provide free, easy bibliographic access to all ASCE publications. The database covers ASCE documents published since 1972. It provides access to all the journals, conference proceedings, books, standards, manuals, magazines, and newspapers. The index terms below were assigned to papers published in this journal during 2002 from a CEDB keyword list. The CEDB and keyword list can be accessed on the Web at *http://www.pubs.asce.org/cedbsrch.html*.

Abutments
Effect of Live Load Surcharge on Retaining Walls and Abutments. —John S. Kim and Richard M. Barker; 128(10), 803-13 (2002).

Aggregation
Water Flow in Unsaturated Soils in Microgravity Environment. — Abdel-Mohsen O. Mohamed, Hogan E. Antia, and Raymond G. Gosine; 128(10), 814-23 (2002).

Aging
Undrained Shear Strength of Pleistocene Clay in Osaka Bay. —Yoichi Watabe, Takashi Tsuchida, and Kakuichiro Adachi; 128(3), 216-26 (2002).

Airflow
Predicting Airflow Rates in the Coarse Layer of Passive Dry Barriers. —Brian A. Albrecht and Craig H. Benson; 128(4), 338-46 (2002).

Analytical techniques
Analytical Solutions of Linear Finite-Strain One-Dimensional Consolidation. —P. H. Morris; 128(4), 319-26 (2002).

Anchorages
Influence of Prestress on the Dynamic Response of Ground Anchorages. —Ana Ivanovic, Richard D. Neilson, and Albert A. Rodger; 128(3), 237-49 (2002).

Anchors
Tied-Back Excavations in Alluvial Soil of Taipei. —H. J. Liao and P. G. Hsieh; 128(5), 435-41 (2002).

Anisotropy
Influence of Strength Anisotropy on Piezocone Resistance in Clay. —S. F. Su and H. J. Liao; 128(2), 166-73 (2002).
Constitutive Modeling of Inherently Anisotropic Sand Behavior. —Xiang Song Li and Yannis F. Dafalias; 128(10), 868-80 (2002).

Arches
Mechanisms of Load Transfer and Arching for Braced Excavations in Clay. —Youssef M. A. Hashash and Andrew J. Whittle; 128(3), 187-97 (2002).

Banding
Propagation of Localization Instability Under Active and Passive Loading. —Ronaldo I. Borja and Timothy Y. Lai; 128(1), 64-75 (2002).

Barriers
Foundry Green Sands as Hydraulic Barriers: Field Study. — Tarek Abichou, Craig H. Benson, and Tuncer B. Edil; 128(3), 206-15 (2002).
Predicting Airflow Rates in the Coarse Layer of Passive Dry Barriers. — Brian A. Albrecht and Craig H. Benson; 128(4), 338-46 (2002).

Bearing capacity
Bearing Capacity of Circular Footings. — Hans L. Erickson and Andrew Drescher; 128(1), 38-43 (2002).
Evaluation of a Minimum Base Resistance for Driven Pipe Piles in Siliceous Sand. — B. M. Lehane and Mark F. Randolph; 128(3), 198-205 (2002).
Bearing Capacity of Rough Rigid Strip Footing on Cohesive Soil: Probabilistic Study. — D. V. Griffiths, Gordon A. Fenton, and N. Manoharan; 128(9), 743-55 (2002).

Bentonite
Chemico-Osmotic Efficiency of a Geosynthetic Clay Liner. — Michael A. Malusis and Charles D. Shackelford; 128(2), 97-106 (2002).

Bored piles
Load Transfer Curves along Bored Piles Considering Modulus Degradation. —Hong Zhu and Ming-Fang Chang; 128(9), 764-74 (2002).
Effect of Construction on Axial Capacity of Drilled Foundations in Piedmont Soils. —Dan Brown; 128(12), 967-73 (2002).

Boreholes
Instrumented Borehole Drilling for Subsurface Investigation. — M. W. Gui, K. Soga, M. D. Bolton, and J. P. Hamelin; 128(4), 283-91 (2002).
Forms of Hydraulic Fractures in Shallow Fine-Grained Formations. —Lawrence C. Murdoch and William W. Slack; 128(6), 479-87 (2002).

Bounding surface
Ground Response in Lotung: Total Stress Analyses and Parametric Studies. —Ronaldo I. Borja, Blaise G. Duvernay, and Chao-Hua Lin; 128(1), 54-63 (2002).
Modeling of Shallowly Embedded Offshore Pipelines in Calcareous Sand. —Jianguo Zhang, Douglas P. Stewart, and Mark F. Randolph; 128(5), 363-71 (2002).
State Pressure Index for Modeling Sand Behavior. —Zhi-Liang Wang, Yannis F. Dafalias, Xiang-Song Li, and Faiz I. Makdisi; 128(6), 511-9 (2002).

Bridges, steel
Minimum Depth of Soil Cover above Soil–Steel Bridges. — George Abdel-Sayed and Sameh R. Salib; 128(8), 672-81 (2002).

Caissons
Experimental Investigations of Response of Suction Caissons to Transient Vertical Loading. —Byron W. Byrne and Guy T. Houlsby; 128(11), 926-39 (2002).

Calcareous sand
Modeling of Shallowly Embedded Offshore Pipelines in Calcareous Sand. — Jianguo Zhang, Douglas P. Stewart, and Mark F. Randolph; 128(5), 363-71 (2002).

Calcareous soils
Effect of Cement Type on Shear Behavior of Cemented Calcareous Soil. — Mostafa A. Ismail, Hackmet A. Joer, Wee H. Sim, and Mark F. Randolph; 128(6), 520-9 (2002).

Cavity expansion
Interpretation of Pressuremeter Tests in Sand using Advanced Soil Model. — Yo-Ming Hsieh, Andrew J. Whittle, and Hai-Sui Yu; 128(3), 274-8 (2002).

Cementation
Engineering Behavior of a Sand Reinforced with Plastic Waste. — Nilo Cesar Consoli, Júlio Portella Montardo, Pedro Domingos Marques Prietto, and Giovana Savitri Pasa; 128(6), 462-72 (2002).

Centrifuge
Preferential Flow of a Nonaqueous Phase Liquid in Dry Sand. —P. J. Culligan, K. Banno, D. A. Barry, T. S. Steenhuis, and J.-Y. Parlange; 128(4), 327-37 (2002).

Chicago
Performance of a Stiff Support System in Soft Clay. —Richard J. Finno, Sebastian Bryson, and Michele Calvello; 128(8), 660-71 (2002).

Chile
Ground Subsidence due to a Shallow Tunnel in Dense Sandy Gravel. —Fernando Rodríguez-Roa; 128(5), 426-34 (2002).

Clay
Influence of Strength Anisotropy on Piezocone Resistance in Clay. —S. F. Su and H. J. Liao; 128(2), 166-73 (2002).
Mechanisms of Load Transfer and Arching for Braced Excavations in Clay. —Youssef M. A. Hashash and Andrew J. Whittle; 128(3), 187-97 (2002).
Transparent Amorphous Silica to Model Clay. —Magued G. Iskander, Jinyuan Liu, and Samer Sadek; 128(3), 262-73 (2002).
Instrumented Borehole Drilling for Subsurface Investigation. — M. W. Gui, K. Soga, M. D. Bolton, and J. P. Hamelin; 128(4), 283-91 (2002).

Clay liners
Chemico-Osmotic Efficiency of a Geosynthetic Clay Liner. —Michael A. Malusis and Charles D. Shackelford; 128(2), 97-106 (2002).
Comparison of Solute Transport in Three Composite Liners. —Gary J. Foose, Craig H. Benson, and Tuncer B. Edil; 128(5), 391-403 (2002).
Long-Term Tritium Transport through Field-Scale Compacted Soil Liner. —Cécile Toupiol, Thomas W. Willingham, Albert J. Valocchi, Charles J. Werth, Ivan G. Krapac, Timothy D. Stark, and David E. Daniel; 128(8), 640-50 (2002).

Clay structure
First-Order Rate Equations in Geotechnical Engineering. — Richard L. Handy; 128(5), 416-25 (2002).

Clays
Soil Deformation and Excess Pore Pressure Field around a Closed-Ended Pile. — Juan M. Pestana, Christopher E. Hunt, and Jonathan D. Bray; 128(1), 1-12 (2002).
Effect of Pile Driving on Static and Dynamic Properties of Soft Clay. — Christopher E. Hunt, Juan M. Pestana, Jonathan D. Bray, and Michael Riemer; 128(1), 13-24 (2002).
Undrained Shear Strength of Pleistocene Clay in Osaka Bay. — Yoichi Watabe, Takashi Tsuchida, and Kakuichiro Adachi; 128(3), 216-26 (2002).
First-Order Rate Equations in Geotechnical Engineering. — Richard L. Handy; 128(5), 416-25 (2002).
Ultimate Soil Pressures for Piles Subjected to Lateral Soil Movements. — J. L. Pan, A. T. C. Goh, K. S. Wong, and C. I. Teh; 128(6), 530-5 (2002).
Neural Networks for Profiling Stress History of Clays from PCPT Data. — Pradeep U. Kurup and Nitin K. Dudani; 128(7), 569-79 (2002).
Two-Surface Plasticity Model for Cyclic Undrained Behavior of Clays. — Tao Li and Helmut Meissner; 128(7), 613-26 (2002).
Base Stability of Circular Excavations in Soft Clay. — Fei Cai, Keizo Ugai, and Toshiyuki Hagiwara; 128(8), 702-6 (2002).
Ohmic Conductivity of a Compacted Silty Clay. — Victor A. Rinaldi and German A. Cuestas; 128(10), 824-35 (2002).
Effect of Sampling Disturbance on Properties of Singapore Clay. — Thiam-Soon Tan, Fook-Hou Lee, Poh-Ting Chong, and Hiroyuki Tanaka; 128(11), 898-906 (2002).
Flexural Performance of Drilled Shafts with Minor Flaws in Stiff Clay. — Hazem A. Sarhan, Michael W. O'Neill, and Khaled M. Hassan; 128(12), 974-85 (2002).
Sampling Disturbance Effects in Normally Consolidated Clays. — M. C. Santagata and J. T. Germaine; 128(12), 997-1006 (2002).
Influence of Amorphous Clay-Size Materials on Soil Plasticity and Shrink-Swell Behavior. — Yongshan Wan, James Kwong, Horst G. Brandes, and Rollin C. Jones; 128(12), 1026-31 (2002).

Clogging
Effects of Ionic Strength on Fine Particle Clogging of Soil Filters. — M. G. Hajra, L. N. Reddi, L. A. Glasgow, M. Xiao, and I. M. Lee; 128(8), 631-9 (2002).

Cohesionless soils
Interpretation of Pressuremeter Tests in Sand using Advanced Soil Model. — Yo-Ming Hsieh, Andrew J. Whittle, and Hai-Sui Yu; 128(3), 274-8 (2002).
Predicting Settlement of Shallow Foundations using Neural Networks. — Mohamed A. Shahin, Holger R. Maier, and Mark B. Jaksa; 128(9), 785-93 (2002).

Cohesive soils
Two-Surface Plasticity Model for Cyclic Undrained Behavior of Clays. — Tao Li and Helmut Meissner; 128(7), 613-26 (2002).
Bearing Capacity of Rough Rigid Strip Footing on Cohesive Soil: Probabilistic Study. — D. V. Griffiths, Gordon A. Fenton, and N. Manoharan; 128(9), 743-55 (2002).

Columns
Large and Small Strain Properties of Sands Subjected to Local Void Increase. — M. A. Fam, G. Cascante, and M. B. Dusseault; 128(12), 1018-25 (2002).

Compacted soils
Long-Term Tritium Transport through Field-Scale Compacted Soil Liner. — Cécile Toupiol, Thomas W. Willingham, Albert J. Valocchi, Charles J. Werth, Ivan G. Krapac, Timothy D. Stark, and David E. Daniel; 128(8), 640-50 (2002).

Compaction
Ohmic Conductivity of a Compacted Silty Clay. — Victor A. Rinaldi and German A. Cuestas; 128(10), 824-35 (2002).

Composite materials
Comparison of Solute Transport in Three Composite Liners. — Gary J. Foose, Craig H. Benson, and Tuncer B. Edil; 128(5), 391-403 (2002).
Transit-Time Design for Diffusion through Composite Liners. — Gary J. Foose; 128(7), 590-601 (2002).

Compressibility
Effect of Pile Driving on Static and Dynamic Properties of Soft Clay. — Christopher E. Hunt, Juan M. Pestana, Jonathan D. Bray, and Michael Riemer; 128(1), 13-24 (2002).

Compression
Evaluation of Decomposition Effect on Long-Term Settlement Prediction for Fresh Municipal Solid Waste Landfills. — Hyun Il Park, Seung Rae Lee, and Nam Young Do; 128(2), 107-18 (2002).

Computation
Practical Solution for Group Stiffness Analysis of Piles. — W. Y. Shen and C. I. Teh; 128(8), 692-8 (2002).

Cone penetration
Influence of Strength Anisotropy on Piezocone Resistance in Clay. — S. F. Su and H. J. Liao; 128(2), 166-73 (2002).

Consolidation
First-Order Rate Equations in Geotechnical Engineering. — Richard L. Handy; 128(5), 416-25 (2002).
Consolidation and Permeability Properties of Singapore Marine Clay. — J. Chu, Myint Win Bo, M. F. Chang, and V. Choa; 128(9), 724-32 (2002).

Consolidation, soils
Analytical Solutions of Linear Finite-Strain One-Dimensional Consolidation. — P. H. Morris; 128(4), 319-26 (2002).
Limits on a Common Approximation for Layered Consolidation Analysis. — Alfredo Urzua and John T. Christian; 128(12), 1043-5 (2002).

Constitutive models
Propagation of Localization Instability Under Active and Passive Loading. — Ronaldo I. Borja and Timothy Y. Lai; 128(1), 64-75 (2002).
Numerical Analysis of a Tunnel in Residual Soils. — Roberto F. Azevedo, Alexandre B. Parreira, and Jorge G. Zornberg; 128(3), 227-36 (2002).
Constitutive Modeling of Inherently Anisotropic Sand Behavior. — Xiang Song Li and Yannis F. Dafalias; 128(10), 868-80 (2002).
Constitutive Model for Municipal Solid Waste. — Sandro L. Machado, Miriam F. Carvalho, and Orencio M. Vilar; 128(11), 940-51 (2002).

Construction
Settlement due to Diaphragm Wall Construction in Reclaimed Land in Hong Kong. — C. B. B. Thorley and R. A. Forth; 128(6), 473-8 (2002).
Dewatering Cofferdam for Construction of Olmsted Locks. — Charles I. Mansur and Stephen G. Durrett; 128(6), 496-510 (2002).
Effect of Construction on Axial Capacity of Drilled Foundations in Piedmont Soils. — Dan Brown; 128(12), 967-73 (2002).

Contaminants
Chemico-Osmotic Efficiency of a Geosynthetic Clay Liner. — Michael A. Malusis and Charles D. Shackelford; 128(2), 97-106 (2002).
Long-Term Tritium Transport through Field-Scale Compacted Soil Liner. — Cécile Toupiol, Thomas W. Willingham, Albert J. Valocchi, Charles J. Werth, Ivan G. Krapac, Timothy D. Stark, and David E. Daniel; 128(8), 640-50 (2002).

Contraction
Effect of Cement Type on Shear Behavior of Cemented Calcareous Soil. — Mostafa A. Ismail, Hackmet A. Joer, Wee H. Sim, and Mark F. Randolph; 128(6), 520-9 (2002).

Coupling
Dynamic Coupling Effects in Frictional Geomaterials—Stochastic Resonance. — Yu-Hsing Wang and J. Carlos Santamarina; 128(11), 952-62 (2002).

Creep
Some Design Considerations for Embankments on Rate Sensitive Soils. — Allen Lunzhu Li and R. Kerry Rowe; 128(11), 885-97 (2002).

Cyclic loads
Two-Surface Plasticity Model for Cyclic Undrained Behavior of Clays. — Tao Li and Helmut Meissner; 128(7), 613-26 (2002).

Damping
Parameter Estimation in Finite Element Simulations of Rayleigh Waves. — A. Zerwer, G. Cascante, and J. Hutchinson; 128(3), 250-61 (2002).
Energy Dissipation in Surface Layer due to Vertically Propagating SH Wave. — Takeji Kokusho and Ryuichi Motoyama; 128(4), 309-18 (2002).

Dams, embankment
Analysis of Critical Hydraulic Gradient for Particle Movement in Filtration. — Buddhima Indraratna and Sujeewa Radampola; 128(4), 347-50 (2002).

Data analysis
Objective Site Characterization Using Clustering of Piezocone Data. — Yasser A. Hegazy and Paul W. Mayne; 128(12), 986-96 (2002).
Revised Multilinear Regression Equations for Prediction of Lateral Spread Displacement. — T. Leslie Youd, Corbett M. Hansen, and Steven F. Bartlett; 128(12), 1007-17 (2002).

Debris
Runout Analysis of Slurry Flows with Bingham Model. — H. Chen and C. F. Lee; 128(12), 1032-42 (2002).

Deformation analysis
Traffic-Load-Induced Permanent Deformation of Road on Soft Subsoil. — Jin-Chun Chai and N. Miura; 128(11), 907-16 (2002).

Degradation
Load Transfer Curves along Bored Piles Considering Modulus Degradation. — Hong Zhu and Ming-Fang Chang; 128(9), 764-74 (2002).

Design
Transit-Time Design for Diffusion through Composite Liners. — Gary J. Foose; 128(7), 590-601 (2002).
Some Design Considerations for Embankments on Rate Sensitive Soils. — Allen Lunzhu Li and R. Kerry Rowe; 128(11), 885-97 (2002).

Dewatering
Dewatering Cofferdam for Construction of Olmsted Locks. — Charles I. Mansur and Stephen G. Durrett; 128(6), 496-510 (2002).

Diaphragm wall
Mechanisms of Load Transfer and Arching for Braced Excavations in Clay. — Youssef M. A. Hashash and Andrew J. Whittle; 128(3), 187-97 (2002).
Tied-Back Excavations in Alluvial Soil of Taipei. — H. J. Liao and P. G. Hsieh; 128(5), 435-41 (2002).
Base Stability of Circular Excavations in Soft Clay. — Fei Cai, Keizo Ugai, and Toshiyuki Hagiwara; 128(8), 702-6 (2002).

Diaphragm walls
Settlement due to Diaphragm Wall Construction in Reclaimed Land in Hong Kong. — C. B. B. Thorley and R. A. Forth; 128(6), 473-8 (2002).

Differential settlement
Probabilistic Foundation Settlement on Spatially Random Soil. — Gordon A. Fenton and D. V. Griffiths; 128(5), 381-90 (2002).
Yielding from Field Behavior and its Influence on Oil Tank Settlements. — Riccardo Berardi and Renato Lancellotta; 128(5), 404-15 (2002).

Diffusion
Long-Term Tritium Transport through Field-Scale Compacted Soil Liner. — Cécile Toupiol, Thomas W. Willingham, Albert J. Valocchi, Charles J. Werth, Ivan G. Krapac, Timothy D. Stark, and David E. Daniel; 128(8), 640-50 (2002).

Dikes
Undrained Anisotropic Monotonic Behavior of Sand from In Situ Tests. — Debasis Roy, Richard G. Campanella, Peter M. Byrne, and John Hughes; 128(1), 85-91 (2002).

Dilatancy
A Study of Soil-Reinforcement Interface Friction. — Zhenggui Wang and Werner Richwien; 128(1), 92-4 (2002).
Field and Laboratory Testing of St. Peter Sandstone. — M. Dittes and J. F. Labuz; 128(5), 372-80 (2002).
State Pressure Index for Modeling Sand Behavior. — Zhi-Liang Wang, Yannis F. Dafalias, Xiang-Song Li, and Faiz I. Makdisi; 128(6), 511-9 (2002).
Constitutive Modeling of Inherently Anisotropic Sand Behavior. — Xiang Song Li and Yannis F. Dafalias; 128(10), 868-80 (2002).

Displacement
Yielding from Field Behavior and its Influence on Oil Tank Settlements. — Riccardo Berardi and Renato Lancellotta; 128(5), 404-15 (2002).
Practical Solution for Group Stiffness Analysis of Piles. — W. Y. Shen and C. I. Teh; 128(8), 692-8 (2002).

Drainage
Analytical Solutions of Linear Finite-Strain One-Dimensional Consolidation. — P. H. Morris; 128(4), 319-26 (2002).
Effects of Ionic Strength on Fine Particle Clogging of Soil Filters. — M. G. Hajra, L. N. Reddi, L. A. Glasgow, M. Xiao, and I. M. Lee; 128(8), 631-9 (2002).

Drilled shafts
Capacity of Drilled Shafts in Burlington Limestone. — Brett Gunnink and Chad Kiehne; 128(7), 539-45 (2002).
Effect of Construction on Axial Capacity of Drilled Foundations in Piedmont Soils. — Dan Brown; 128(12), 967-73 (2002).
Flexural Performance of Drilled Shafts with Minor Flaws in Stiff Clay. — Hazem A. Sarhan, Michael W. O'Neill, and Khaled M. Hassan; 128(12), 974-85 (2002).

Drilling
Instrumented Borehole Drilling for Subsurface Investigation. — M. W. Gui, K. Soga, M. D. Bolton, and J. P. Hamelin; 128(4), 283-91 (2002).

Driven piles
Evaluation of a Minimum Base Resistance for Driven Pipe Piles in Siliceous Sand. — B. M. Lehane and Mark F. Randolph; 128(3), 198-205 (2002).

Dynamic loads
Three-Dimensional Analysis of Lateral Pile Response using Two-Dimensional Explicit Numerical Scheme. — Assaf Klar and Sam Frydman; 128(9), 775-84 (2002).

Dynamic response
Influence of Prestress on the Dynamic Response of Ground Anchorages. — Ana Ivanovic, Richard D. Neilson, and Albert A. Rodger; 128(3), 237-49 (2002).

Earth pressure
Mechanisms of Load Transfer and Arching for Braced Excavations in Clay. — Youssef M. A. Hashash and Andrew J. Whittle; 128(3), 187-97 (2002).
Passive Earth Pressure with Critical State Concept. — Yung-Show Fang, Ying-Chieh Ho, and Tsang-Jiang Chen; 128(8), 651-9 (2002).
Lateral Resistance of Full-Scale Pile Cap with Gravel Backfill. — Kyle M. Rollins and Andrew Sparks; 128(9), 711-23 (2002).

Earth reinforcement
Numerical Analysis of Geosynthetic-Reinforced and Pile-Supported Earth Platforms over Soft Soil. — J. Han and M. A. Gabr; 128(1), 44-53 (2002).
A Study of Soil-Reinforcement Interface Friction. — Zhenggui Wang and Werner Richwien; 128(1), 92-4 (2002).

Earthquake damage
Site Investigations for Involvement of Water Films in Lateral Flow in Liquefied Ground. — Takeji Kokusho and Katsuhisa Fujita; 128(11), 917-25 (2002).

Earthquakes
Energy Dissipation in Surface Layer due to Vertically Propagating SH Wave. — Takeji Kokusho and Ryuichi Motoyama; 128(4), 309-18 (2002).

Electrical conductivity
Ohmic Conductivity of a Compacted Silty Clay. — Victor A. Rinaldi and German A. Cuestas; 128(10), 824-35 (2002).

Embankments
Some Design Considerations for Embankments on Rate Sensitive Soils. — Allen Lunzhu Li and R. Kerry Rowe; 128(11), 885-97 (2002).
Traffic-Load-Induced Permanent Deformation of Road on Soft Subsoil. — Jin-Chun Chai and N. Miura; 128(11), 907-16 (2002).

Energy dissipation
Energy Dissipation in Surface Layer due to Vertically Propagating SH Wave. — Takeji Kokusho and Ryuichi Motoyama; 128(4), 309-18 (2002).

Erosion
Analysis of Critical Hydraulic Gradient for Particle Movement in Filtration. — Buddhima Indraratna and Sujeewa Radampola; 128(4), 347-50 (2002).

Excavation
Theoretical Model of Shield Behavior During Excavation. I: Theory. — Mitsutaka Sugimoto and Aphichat Sramoon; 128(2), 138-55 (2002).
Theoretical Model of Shield Behavior During Excavation. II: Application. — Aphichat Sramoon, Mitsutaka Sugimoto, and Kouji Kayukawa; 128(2), 156-65 (2002).
Mechanisms of Load Transfer and Arching for Braced Excavations in Clay. — Youssef M. A. Hashash and Andrew J. Whittle; 128(3), 187-97 (2002).
Numerical Analysis of a Tunnel in Residual Soils. — Roberto F. Azevedo, Alexandre B. Parreira, and Jorge G. Zornberg; 128(3), 227-36 (2002).
Tied-Back Excavations in Alluvial Soil of Taipei. — H. J. Liao and P. G. Hsieh; 128(5), 435-41 (2002).
Settlement due to Diaphragm Wall Construction in Reclaimed Land in Hong Kong. — C. B. B. Thorley and R. A. Forth; 128(6), 473-8 (2002).
Performance of a Stiff Support System in Soft Clay. — Richard J. Finno, Sebastian Bryson, and Michele Calvello; 128(8), 660-71 (2002).
Base Stability of Circular Excavations in Soft Clay. — Fei Cai, Keizo Ugai, and Toshiyuki Hagiwara; 128(8), 702-6 (2002).

Excitation
Kinematic Pile Response to Vertical P-wave Seismic Excitation. — George Mylonakis and George Gazetas; 128(10), 860-7 (2002).

Expansion
Influence of Amorphous Clay-Size Materials on Soil Plasticity and Shrink-Swell Behavior. — Yongshan Wan, James Kwong, Horst G. Brandes, and Rollin C. Jones; 128(12), 1026-31 (2002).

Experimentation
Experimental Investigations of Response of Suction Caissons to Transient Vertical Loading. — Byron W. Byrne and Guy T. Houlsby; 128(11), 926-39 (2002).

Failures
Stability Charts for Uniform Slopes. — Radoslaw L. Michalowski; 128(4), 351-5 (2002).

Fiber reinforced materials
Engineering Behavior of a Sand Reinforced with Plastic Waste. — Nilo Cesar Consoli, Júlio Portella Montardo, Pedro Domingos Marques Prietto, and Giovana Savitri Pasa; 128(6), 462-72 (2002).

Field investigations
Foundry Green Sands as Hydraulic Barriers: Field Study. — Tarek Abichou, Craig H. Benson, and Tuncer B. Edil; 128(3), 206-15 (2002).

Field tests
Soil Deformation and Excess Pore Pressure Field around a Closed-Ended Pile. — Juan M. Pestana, Christopher E. Hunt, and Jonathan D. Bray; 128(1), 1-12 (2002).
Effect of Pile Driving on Static and Dynamic Properties of Soft Clay. — Christopher E. Hunt, Juan M. Pestana, Jonathan D. Bray, and Michael Riemer; 128(1), 13-24 (2002).
Instrumented Borehole Drilling for Subsurface Investigation. — M. W. Gui, K. Soga, M. D. Bolton, and J. P. Hamelin; 128(4), 283-91 (2002).

Filters
Analysis of Critical Hydraulic Gradient for Particle Movement in Filtration. — Buddhima Indraratna and Sujeewa Radampola; 128(4), 347-50 (2002).
Effects of Ionic Strength on Fine Particle Clogging of Soil Filters. — M. G. Hajra, L. N. Reddi, L. A. Glasgow, M. Xiao, and I. M. Lee; 128(8), 631-9 (2002).

Filtration
Analysis of Critical Hydraulic Gradient for Particle Movement in Filtration. — Buddhima Indraratna and Sujeewa Radampola; 128(4), 347-50 (2002).

Finite element method
Ground Response in Lotung: Total Stress Analyses and Parametric Studies. — Ronaldo I. Borja, Blaise G. Duvernay, and Chao-Hua Lin; 128(1), 54-63 (2002).
Propagation of Localization Instability Under Active and Passive Loading. — Ronaldo I. Borja and Timothy Y. Lai; 128(1), 64-75 (2002).
Parameter Estimation in Finite Element Simulations of Rayleigh Waves. — A. Zerwer, G. Cascante, and J. Hutchinson; 128(3), 250-61 (2002).
Ground Subsidence due to a Shallow Tunnel in Dense Sandy Gravel. — Fernando Rodríguez-Roa; 128(5), 426-34 (2002).
Stability Analysis of Complex Soil Slopes using Limit Analysis. — Jongmin Kim, Rodrigo Salgado, and Junhwan Lee; 128(7), 546-57 (2002).
Base Stability of Circular Excavations in Soft Clay. — Fei Cai, Keizo Ugai, and Toshiyuki Hagiwara; 128(8), 702-6 (2002).
Runout Analysis of Slurry Flows with Bingham Model. — H. Chen and C. F. Lee; 128(12), 1032-42 (2002).

Finite elements
Numerical Analysis of a Tunnel in Residual Soils. — Roberto F. Azevedo, Alexandre B. Parreira, and Jorge G. Zornberg; 128(3), 227-36 (2002).
Minimum Depth of Soil Cover above Soil–Steel Bridges. — George Abdel-Sayed and Sameh R. Salib; 128(8), 672-81 (2002).
Least-Squares Finite-Element Evaluation of Flow Nets. — Panos D. Kiousis; 128(8), 699-701 (2002).

Flexure
Flexural Performance of Drilled Shafts with Minor Flaws in Stiff Clay. — Hazem A. Sarhan, Michael W. O'Neill, and Khaled M. Hassan; 128(12), 974-85 (2002).

Flocculation
Effects of Ionic Strength on Fine Particle Clogging of Soil Filters. — M. G. Hajra, L. N. Reddi, L. A. Glasgow, M. Xiao, and I. M. Lee; 128(8), 631-9 (2002).

Flow nets
Least-Squares Finite-Element Evaluation of Flow Nets. — Panos D. Kiousis; 128(8), 699-701 (2002).

Flow rates
Predicting Airflow Rates in the Coarse Layer of Passive Dry Barriers. — Brian A. Albrecht and Craig H. Benson; 128(4), 338-46 (2002).

Fly ash
Properties and Performance of a Pulverized Fly Ash Grout. — I. N. Markou and D. K. Atmatzidis; 128(8), 682-91 (2002).

Footings
Bearing Capacity of Circular Footings. — Hans L. Erickson and Andrew Drescher; 128(1), 38-43 (2002).
Bearing Capacity of Rough Rigid Strip Footing on Cohesive Soil: Probabilistic Study. — D. V. Griffiths, Gordon A. Fenton, and N. Manoharan; 128(9), 743-55 (2002).

Foundation settlement
Probabilistic Foundation Settlement on Spatially Random Soil. — Gordon A. Fenton and D. V. Griffiths; 128(5), 381-90 (2002).

Foundations
Capacity of Drilled Shafts in Burlington Limestone. — Brett Gunnink and Chad Kiehne; 128(7), 539-45 (2002).
Experimental Investigations of Response of Suction Caissons to Transient Vertical Loading. — Byron W. Byrne and Guy T. Houlsby; 128(11), 926-39 (2002).

Fractures
Forms of Hydraulic Fractures in Shallow Fine-Grained Formations. — Lawrence C. Murdoch and William W. Slack; 128(6), 479-87 (2002).
Mechanical Analysis of Idealized Shallow Hydraulic Fracture. — Lawrence C. Murdoch; 128(6), 488-95 (2002).

Friction
Dynamic Coupling Effects in Frictional Geomaterials—Stochastic Resonance. — Yu-Hsing Wang and J. Carlos Santamarina; 128(11), 952-62 (2002).

Frost penetration
Protective Layer Design in Landfill Covers based on Frost Penetration. — Gregory M. Smith and Ronald E. Rager; 128(9), 794-9 (2002).

Geographic information systems
Evaluating Site Investigation Quality using *GIS* and Geostatistics. — R. L. Parsons and J. D. Frost; 128(6), 451-61 (2002).

Geosynthetics
Chemico-Osmotic Efficiency of a Geosynthetic Clay Liner. — Michael A. Malusis and Charles D. Shackelford; 128(2), 97-106 (2002).

Grains
Undrained Fragility of Clean Sands, Silty Sands, and Sandy Silts. — S. Thevanayagam, T. Shenthan, S. Mohan, and J. Liang; 128(10), 849-59 (2002).

Granular materials
Behavior of Dilative Sand Interfaces in a Geotribology Framework. — Joseph E. Dove and J. Bradley Jarrett; 128(1), 25-37 (2002).
Simplified Method for Evaluating Seismic Stability of Steep Slopes. — Scott A. Ashford and Nicholas Sitar; 128(2), 119-28 (2002).

Granular media
Minimum Depth of Soil Cover above Soil–Steel Bridges. — George Abdel-Sayed and Sameh R. Salib; 128(8), 672-81 (2002).

Graphic methods
Stability Charts for Uniform Slopes. — Radoslaw L. Michalowski; 128(4), 351-5 (2002).

Gravel
Instrumented Borehole Drilling for Subsurface Investigation. — M. W. Gui, K. Soga, M. D. Bolton, and J. P. Hamelin; 128(4), 283-91 (2002).
Ground Subsidence due to a Shallow Tunnel in Dense Sandy Gravel. — Fernando Rodríguez-Roa; 128(5), 426-34 (2002).
Lateral Resistance of Full-Scale Pile Cap with Gravel Backfill. — Kyle M. Rollins and Andrew Sparks; 128(9), 711-23 (2002).

Ground motion
Ground Response in Lotung: Total Stress Analyses and Parametric Studies. — Ronaldo I. Borja, Blaise G. Duvernay, and Chao-Hua Lin; 128(1), 54-63 (2002).

Ground-water pollution
Preferential Flow of a Nonaqueous Phase Liquid in Dry Sand. — P. J. Culligan, K. Banno, D. A. Barry, T. S. Steenhuis, and J.-Y. Parlange; 128(4), 327-37 (2002).

Grout
Properties and Performance of a Pulverized Fly Ash Grout. — I. N. Markou and D. K. Atmatzidis; 128(8), 682-91 (2002).

Gypsum
Effect of Cement Type on Shear Behavior of Cemented Calcareous Soil. — Mostafa A. Ismail, Hackmet A. Joer, Wee H. Sim, and Mark F. Randolph; 128(6), 520-9 (2002).

Hazardous materials
Runout Analysis of Slurry Flows with Bingham Model. — H. Chen and C. F. Lee; 128(12), 1032-42 (2002).

Hong Kong
Settlement due to Diaphragm Wall Construction in Reclaimed Land in Hong Kong. — C. B. B. Thorley and R. A. Forth; 128(6), 473-8 (2002).

Hybrid methods
Hybrid Method for Analysis of Segmented Shotcrete Tunnel Linings. — Roman Lackner, Jürgen Macht, Christian Hellmich, and Herbert A. Mang; 128(4), 298-308 (2002).

Hydraulic conductivity
Foundry Green Sands as Hydraulic Barriers: Field Study. — Tarek Abichou, Craig H. Benson, and Tuncer B. Edil; 128(3), 206-15 (2002).
Properties and Performance of a Pulverized Fly Ash Grout. — I. N. Markou and D. K. Atmatzidis; 128(8), 682-91 (2002).
Ohmic Conductivity of a Compacted Silty Clay. — Victor A. Rinaldi and German A. Cuestas; 128(10), 824-35 (2002).

Hydraulic gradients
Analysis of Critical Hydraulic Gradient for Particle Movement in Filtration. — Buddhima Indraratna and Sujeewa Radampola; 128(4), 347-50 (2002).

Hydraulics
Forms of Hydraulic Fractures in Shallow Fine-Grained Formations. — Lawrence C. Murdoch and William W. Slack; 128(6), 479-87 (2002).
Mechanical Analysis of Idealized Shallow Hydraulic Fracture. — Lawrence C. Murdoch; 128(6), 488-95 (2002).

Illinois
Performance of a Stiff Support System in Soft Clay. — Richard J. Finno, Sebastian Bryson, and Michele Calvello; 128(8), 660-71 (2002).

Imaging techniques
Transparent Amorphous Silica to Model Clay. — Magued G. Iskander, Jinyuan Liu, and Samer Sadek; 128(3), 262-73 (2002).

Impact forces
Predicting Soil and Structure Vibrations from Impact Machines. — Mark R. Svinkin; 128(7), 602-12 (2002).

In situ tests
Undrained Anisotropic Monotonic Behavior of Sand from In Situ Tests. — Debasis Roy, Richard G. Campanella, Peter M. Byrne, and John Hughes; 128(1), 85-91 (2002).
Interpretation of Pressuremeter Tests in Sand using Advanced Soil Model. — Yo-Ming Hsieh, Andrew J. Whittle, and Hai-Sui Yu; 128(3), 274-8 (2002).
Assessing Probability-based Methods for Liquefaction Potential Evaluation. — C. Hsein Juang, Tao Jiang, and Ronald D. Andrus; 128(7), 580-9 (2002).

Infiltration
Evaluation of Surficial Stability for Homogeneous Slopes Considering Rainfall Characteristics. — Sung Eun Cho and Seung Rae Lee; 128(9), 756-63 (2002).

Interfaces
Behavior of Dilative Sand Interfaces in a Geotribology Framework. — Joseph E. Dove and J. Bradley Jarrett; 128(1), 25-37 (2002).
A Study of Soil-Reinforcement Interface Friction. — Zhenggui Wang and Werner Richwien; 128(1), 92-4 (2002).

Interfacial tension
Water Flow in Unsaturated Soils in Microgravity Environment. — Abdel-Mohsen O. Mohamed, Hogan E. Antia, and Raymond G. Gosine; 128(10), 814-23 (2002).

Japan
Undrained Shear Strength of Pleistocene Clay in Osaka Bay. — Yoichi Watabe, Takashi Tsuchida, and Kakuichiro Adachi; 128(3), 216-26 (2002).
Energy Dissipation in Surface Layer due to Vertically Propagating SH Wave. — Takeji Kokusho and Ryuichi Motoyama; 128(4), 309-18 (2002).
Site Investigations for Involvement of Water Films in Lateral Flow in Liquefied Ground. — Takeji Kokusho and Katsuhisa Fujita; 128(11), 917-25 (2002).

Kinematics
Kinematic Pile Response to Vertical P-wave Seismic Excitation. — George Mylonakis and George Gazetas; 128(10), 860-7 (2002).

Laboratory tests
Field and Laboratory Testing of St. Peter Sandstone. — M. Dittes and J. F. Labuz; 128(5), 372-80 (2002).

Land reclamation
Settlement due to Diaphragm Wall Construction in Reclaimed Land in Hong Kong. — C. B. B. Thorley and R. A. Forth; 128(6), 473-8 (2002).

Landfills
Evaluation of Decomposition Effect on Long-Term Settlement Prediction for Fresh Municipal Solid Waste Landfills. — Hyun Il Park, Seung Rae Lee, and Nam Young Do; 128(2), 107-18 (2002).
Comparison of Solute Transport in Three Composite Liners. — Gary J. Foose, Craig H. Benson, and Tuncer B. Edil; 128(5), 391-403 (2002).
Protective Layer Design in Landfill Covers based on Frost Penetration. — Gregory M. Smith and Ronald E. Rager; 128(9), 794-9 (2002).

Lateral displacement effect
Revised Multilinear Regression Equations for Prediction of Lateral Spread Displacement. — T. Leslie Youd, Corbett M. Hansen, and Steven F. Bartlett; 128(12), 1007-17 (2002).

Lateral loads
Ultimate Soil Pressures for Piles Subjected to Lateral Soil Movements. — J. L. Pan, A. T. C. Goh, K. S. Wong, and C. I. Teh; 128(6), 530-5 (2002).
Three-Dimensional Analysis of Lateral Pile Response using Two-Dimensional Explicit Numerical Scheme. — Assaf Klar and Sam Frydman; 128(9), 775-84 (2002).
Flexural Performance of Drilled Shafts with Minor Flaws in Stiff Clay. — Hazem A. Sarhan, Michael W. O'Neill, and Khaled M. Hassan; 128(12), 974-85 (2002).

Lateral pressure
Lateral Resistance of Full-Scale Pile Cap with Gravel Backfill. — Kyle M. Rollins and Andrew Sparks; 128(9), 711-23 (2002).
Effect of Live Load Surcharge on Retaining Walls and Abutments. — John S. Kim and Richard M. Barker; 128(10), 803-13 (2002).

Layered soils
Limits on a Common Approximation for Layered Consolidation Analysis. — Alfredo Urzua and John T. Christian; 128(12), 1043-5 (2002).

Limestone
Capacity of Drilled Shafts in Burlington Limestone. — Brett Gunnink and Chad Kiehne; 128(7), 539-45 (2002).

Limit analysis
Propagation of Localization Instability Under Active and Passive Loading. — Ronaldo I. Borja and Timothy Y. Lai; 128(1), 64-75 (2002).
Stability Charts for Uniform Slopes. — Radoslaw L. Michalowski; 128(4), 351-5 (2002).
Stability Analysis of Complex Soil Slopes using Limit Analysis. — Jongmin Kim, Rodrigo Salgado, and Junhwan Lee; 128(7), 546-57 (2002).

Limit states
Stability Charts for Uniform Slopes. — Radoslaw L. Michalowski; 128(4), 351-5 (2002).

Linear programming
Stability Analysis of Complex Soil Slopes using Limit Analysis. — Jongmin Kim, Rodrigo Salgado, and Junhwan Lee; 128(7), 546-57 (2002).

Liners
Transit-Time Design for Diffusion through Composite Liners. — Gary J. Foose; 128(7), 590-601 (2002).

Liquefaction
Mechanism for Postliquefaction Water Film Generation in Layered Sand. — Takeji Kokusho and Tetsuro Kojima; 128(2), 129-37 (2002).
Energy Dissipation in Surface Layer due to Vertically Propagating SH Wave. — Takeji Kokusho and Ryuichi Motoyama; 128(4), 309-18 (2002).
Assessing Probability-based Methods for Liquefaction Potential Evaluation. — C. Hsein Juang, Tao Jiang, and Ronald D. Andrus; 128(7), 580-9 (2002).
Site Investigations for Involvement of Water Films in Lateral Flow in Liquefied Ground. — Takeji Kokusho and Katsuhisa Fujita; 128(11), 917-25 (2002).

Live loads
Effect of Live Load Surcharge on Retaining Walls and Abutments. — John S. Kim and Richard M. Barker; 128(10), 803-13 (2002).

Load tests
Capacity of Drilled Shafts in Burlington Limestone. — Brett Gunnink and Chad Kiehne; 128(7), 539-45 (2002).
Lateral Resistance of Full-Scale Pile Cap with Gravel Backfill. — Kyle M. Rollins and Andrew Sparks; 128(9), 711-23 (2002).
Load Transfer Curves along Bored Piles Considering Modulus Degradation. — Hong Zhu and Ming-Fang Chang; 128(9), 764-74 (2002).
Effect of Construction on Axial Capacity of Drilled Foundations in Piedmont Soils. — Dan Brown; 128(12), 967-73 (2002).

Load transfer
Numerical Analysis of Geosynthetic-Reinforced and Pile-Supported Earth Platforms over Soft Soil. — J. Han and M. A. Gabr; 128(1), 44-53 (2002).
Simplified Nonlinear Analysis for Settlement Prediction of Pile Groups. — Francesco Castelli and Michele Maugeri; 128(1), 76-84 (2002).
Mechanisms of Load Transfer and Arching for Braced Excavations in Clay. — Youssef M. A. Hashash and Andrew J. Whittle; 128(3), 187-97 (2002).
Load Transfer Curves along Bored Piles Considering Modulus Degradation. — Hong Zhu and Ming-Fang Chang; 128(9), 764-74 (2002).

Localization
Propagation of Localization Instability Under Active and Passive Loading. — Ronaldo I. Borja and Timothy Y. Lai; 128(1), 64-75 (2002).

Locks
Dewatering Cofferdam for Construction of Olmsted Locks. — Charles I. Mansur and Stephen G. Durrett; 128(6), 496-510 (2002).

Loess
Ohmic Conductivity of a Compacted Silty Clay. — Victor A. Rinaldi and German A. Cuestas; 128(10), 824-35 (2002).

Machinery
Predicting Soil and Structure Vibrations from Impact Machines. — Mark R. Svinkin; 128(7), 602-12 (2002).

Marine clays
Consolidation and Permeability Properties of Singapore Marine Clay. — J. Chu, Myint Win Bo, M. F. Chang, and V. Choa; 128(9), 724-32 (2002).

Mechanic properties
Mechanical Analysis of Idealized Shallow Hydraulic Fracture. — Lawrence C. Murdoch; 128(6), 488-95 (2002).
Model tests
Transparent Amorphous Silica to Model Clay. — Magued G. Iskander, Jinyuan Liu, and Samer Sadek; 128(3), 262-73 (2002).
Models
Modeling of Shallowly Embedded Offshore Pipelines in Calcareous Sand. — Jianguo Zhang, Douglas P. Stewart, and Mark F. Randolph; 128(5), 363-71 (2002).
Transit-Time Design for Diffusion through Composite Liners. — Gary J. Foose; 128(7), 590-601 (2002).
Two-Surface Plasticity Model for Cyclic Undrained Behavior of Clays. — Tao Li and Helmut Meissner; 128(7), 613-26 (2002).
Municipal wastes
Evaluation of Decomposition Effect on Long-Term Settlement Prediction for Fresh Municipal Solid Waste Landfills. — Hyun Il Park, Seung Rae Lee, and Nam Young Do; 128(2), 107-18 (2002).
Constitutive Model for Municipal Solid Waste. — Sandro L. Machado, Miriam F. Carvalho, and Orencio M. Vilar; 128(11), 940-51 (2002).
Neural networks
Neural Networks for Profiling Stress History of Clays from PCPT Data. — Pradeep U. Kurup and Nitin K. Dudani; 128(7), 569-79 (2002).
Predicting Settlement of Shallow Foundations using Neural Networks. — Mohamed A. Shahin, Holger R. Maier, and Mark B. Jaksa; 128(9), 785-93 (2002).
Noise
Dynamic Coupling Effects in Frictional Geomaterials—Stochastic Resonance. — Yu-Hsing Wang and J. Carlos Santamarina; 128(11), 952-62 (2002).
Nonaqueous phase liquids
Preferential Flow of a Nonaqueous Phase Liquid in Dry Sand. — P. J. Culligan, K. Banno, D. A. Barry, T. S. Steenhuis, and J.-Y. Parlange; 128(4), 327-37 (2002).
Nonlinear analysis
Simplified Nonlinear Analysis for Settlement Prediction of Pile Groups. — Francesco Castelli and Michele Maugeri; 128(1), 76-84 (2002).
Nonlinear response
Load Transfer Curves along Bored Piles Considering Modulus Degradation. — Hong Zhu and Ming-Fang Chang; 128(9), 764-74 (2002).
Normally consolidated soils
Sampling Disturbance Effects in Normally Consolidated Clays. — M. C. Santagata and J. T. Germaine; 128(12), 997-1006 (2002).
Numerical analysis
Numerical Analysis of Geosynthetic-Reinforced and Pile-Supported Earth Platforms over Soft Soil. — J. Han and M. A. Gabr; 128(1), 44-53 (2002).
Numerical Analysis of a Tunnel in Residual Soils. — Roberto F. Azevedo, Alexandre B. Parreira, and Jorge G. Zornberg; 128(3), 227-36 (2002).
Numerical models
Mechanisms of Load Transfer and Arching for Braced Excavations in Clay. — Youssef M. A. Hashash and Andrew J. Whittle; 128(3), 187-97 (2002).
Influence of Prestress on the Dynamic Response of Ground Anchorages. — Ana Ivanovic, Richard D. Neilson, and Albert A. Rodger; 128(3), 237-49 (2002).
Comparison of Solute Transport in Three Composite Liners. — Gary J. Foose, Craig H. Benson, and Tuncer B. Edil; 128(5), 391-403 (2002).
Limits on a Common Approximation for Layered Consolidation Analysis. — Alfredo Urzua and John T. Christian; 128(12), 1043-5 (2002).
Offshore pipelines
Modeling of Shallowly Embedded Offshore Pipelines in Calcareous Sand. — Jianguo Zhang, Douglas P. Stewart, and Mark F. Randolph; 128(5), 363-71 (2002).
Offshore structures
Experimental Investigations of Response of Suction Caissons to Transient Vertical Loading. — Byron W. Byrne and Guy T. Houlsby; 128(11), 926-39 (2002).
Ohio River
Dewatering Cofferdam for Construction of Olmsted Locks. — Charles I. Mansur and Stephen G. Durrett; 128(6), 496-510 (2002).
Overconsolidated clays
Numerical Analysis of a Tunnel in Residual Soils. — Roberto F. Azevedo, Alexandre B. Parreira, and Jorge G. Zornberg; 128(3), 227-36 (2002).
Overconsolidation
Neural Networks for Profiling Stress History of Clays from PCPT Data. — Pradeep U. Kurup and Nitin K. Dudani; 128(7), 569-79 (2002).
Passive pressure
Passive Earth Pressure with Critical State Concept. — Yung-Show Fang, Ying-Chieh Ho, and Tsang-Jiang Chen; 128(8), 651-9 (2002).
Lateral Resistance of Full-Scale Pile Cap with Gravel Backfill. — Kyle M. Rollins and Andrew Sparks; 128(9), 711-23 (2002).
Penetration tests
Undrained Anisotropic Monotonic Behavior of Sand from In Situ Tests. — Debasis Roy, Richard G. Campanella, Peter M. Byrne, and John Hughes; 128(1), 85-91 (2002).
Objective Site Characterization Using Clustering of Piezocone Data. — Yasser A. Hegazy and Paul W. Mayne; 128(12), 986-96 (2002).
Permeability
Effects of Ionic Strength on Fine Particle Clogging of Soil Filters. — M. G. Hajra, L. N. Reddi, L. A. Glasgow, M. Xiao, and I. M. Lee; 128(8), 631-9 (2002).
Consolidation and Permeability Properties of Singapore Marine Clay. — J. Chu, Myint Win Bo, M. F. Chang, and V. Choa; 128(9), 724-32 (2002).
Pile driving
Soil Deformation and Excess Pore Pressure Field around a Closed-Ended Pile. — Juan M. Pestana, Christopher E. Hunt, and Jonathan D. Bray; 128(1), 1-12 (2002).
Effect of Pile Driving on Static and Dynamic Properties of Soft Clay. — Christopher E. Hunt, Juan M. Pestana, Jonathan D. Bray, and Michael Riemer; 128(1), 13-24 (2002).
Pile Driving Analysis for Top Hammering and Bottom Hammering. — Jonggeun Choe and Hans C. Juvkam-Wold; 128(2), 174-82 (2002).
Pile foundations
Kinematic Pile Response to Vertical P-wave Seismic Excitation. — George Mylonakis and George Gazetas; 128(10), 860-7 (2002).
Pile groups
Simplified Nonlinear Analysis for Settlement Prediction of Pile Groups. — Francesco Castelli and Michele Maugeri; 128(1), 76-84 (2002).
Ultimate Soil Pressures for Piles Subjected to Lateral Soil Movements. — J. L. Pan, A. T. C. Goh, K. S. Wong, and C. I. Teh; 128(6), 530-5 (2002).
Lateral Resistance of Full-Scale Pile Cap with Gravel Backfill. — Kyle M. Rollins and Andrew Sparks; 128(9), 711-23 (2002).
Three-Dimensional Analysis of Lateral Pile Response using Two-Dimensional Explicit Numerical Scheme. — Assaf Klar and Sam Frydman; 128(9), 775-84 (2002).
Pile hammers
Pile Driving Analysis for Top Hammering and Bottom Hammering. — Jonggeun Choe and Hans C. Juvkam-Wold; 128(2), 174-82 (2002).
Pile settlement
Simplified Nonlinear Analysis for Settlement Prediction of Pile Groups. — Francesco Castelli and Michele Maugeri; 128(1), 76-84 (2002).
Piles
Numerical Analysis of Geosynthetic-Reinforced and Pile-Supported Earth Platforms over Soft Soil. — J. Han and M. A. Gabr; 128(1), 44-53 (2002).
Practical Solution for Group Stiffness Analysis of Piles. — W. Y. Shen and C. I. Teh; 128(8), 692-8 (2002).
Lateral Resistance of Full-Scale Pile Cap with Gravel Backfill. — Kyle M. Rollins and Andrew Sparks; 128(9), 711-23 (2002).
Three-Dimensional Analysis of Lateral Pile Response using Two-Dimensional Explicit Numerical Scheme. — Assaf Klar and Sam Frydman; 128(9), 775-84 (2002).
Kinematic Pile Response to Vertical P-wave Seismic Excitation. — George Mylonakis and George Gazetas; 128(10), 860-7 (2002).
Pipes
Predicting Airflow Rates in the Coarse Layer of Passive Dry Barriers. — Brian A. Albrecht and Craig H. Benson; 128(4), 338-46 (2002).
Plastic deformation
Traffic-Load-Induced Permanent Deformation of Road on Soft Subsoil. — Jin-Chun Chai and N. Miura; 128(11), 907-16 (2002).
Plasticity
Ground Response in Lotung: Total Stress Analyses and Parametric Studies. — Ronaldo I. Borja, Blaise G. Duvernay, and Chao-Hua Lin; 128(1), 54-63 (2002).
Propagation of Localization Instability Under Active and Passive Loading. — Ronaldo I. Borja and Timothy Y. Lai; 128(1), 64-75 (2002).
Modeling of Shallowly Embedded Offshore Pipelines in Calcareous Sand. — Jianguo Zhang, Douglas P. Stewart, and Mark F. Randolph; 128(5), 363-71 (2002).
State Pressure Index for Modeling Sand Behavior. — Zhi-Liang Wang, Yannis F. Dafalias, Xiang-Song Li, and Faiz I. Makdisi; 128(6), 511-9 (2002).

Two-Surface Plasticity Model for Cyclic Undrained Behavior of Clays. — Tao Li and Helmut Meissner; 128(7), 613-26 (2002).
Constitutive Modeling of Inherently Anisotropic Sand Behavior. — Xiang Song Li and Yannis F. Dafalias; 128(10), 868-80 (2002).
Influence of Amorphous Clay-Size Materials on Soil Plasticity and Shrink-Swell Behavior. — Yongshan Wan, James Kwong, Horst G. Brandes, and Rollin C. Jones; 128(12), 1026-31 (2002).

Pore pressure
Soil Deformation and Excess Pore Pressure Field around a Closed-Ended Pile. — Juan M. Pestana, Christopher E. Hunt, and Jonathan D. Bray; 128(1), 1-12 (2002).

Porous media
Analysis of Critical Hydraulic Gradient for Particle Movement in Filtration. — Buddhima Indraratna and Sujeewa Radampola; 128(4), 347-50 (2002).

Portland cements
Effect of Cement Type on Shear Behavior of Cemented Calcareous Soil. — Mostafa A. Ismail, Hackmet A. Joer, Wee H. Sim, and Mark F. Randolph; 128(6), 520-9 (2002).

Predictions
Predicting Settlement of Shallow Foundations using Neural Networks. — Mohamed A. Shahin, Holger R. Maier, and Mark B. Jaksa; 128(9), 785-93 (2002).
Revised Multilinear Regression Equations for Prediction of Lateral Spread Displacement. — T. Leslie Youd, Corbett M. Hansen, and Steven F. Bartlett; 128(12), 1007-17 (2002).

Pressure
State Pressure Index for Modeling Sand Behavior. — Zhi-Liang Wang, Yannis F. Dafalias, Xiang-Song Li, and Faiz I. Makdisi; 128(6), 511-9 (2002).

Pressuremeters
Interpretation of Pressuremeter Tests in Sand using Advanced Soil Model. — Yo-Ming Hsieh, Andrew J. Whittle, and Hai-Sui Yu; 128(3), 274-8 (2002).

Prestressing
Influence of Prestress on the Dynamic Response of Ground Anchorages. — Ana Ivanovic, Richard D. Neilson, and Albert A. Rodger; 128(3), 237-49 (2002).

Probabilistic methods
Bearing Capacity of Rough Rigid Strip Footing on Cohesive Soil: Probabilistic Study. — D. V. Griffiths, Gordon A. Fenton, and N. Manoharan; 128(9), 743-55 (2002).

Probability
Probabilistic Foundation Settlement on Spatially Random Soil. — Gordon A. Fenton and D. V. Griffiths; 128(5), 381-90 (2002).
Assessing Probability-based Methods for Liquefaction Potential Evaluation. — C. Hsein Juang, Tao Jiang, and Ronald D. Andrus; 128(7), 580-9 (2002).

Protective coating
Protective Layer Design in Landfill Covers based on Frost Penetration. — Gregory M. Smith and Ronald E. Rager; 128(9), 794-9 (2002).

Quality control
Evaluating Site Investigation Quality using *GIS* and Geostatistics. — R. L. Parsons and J. D. Frost; 128(6), 451-61 (2002).

Rainfall
Evaluation of Surficial Stability for Homogeneous Slopes Considering Rainfall Characteristics. — Sung Eun Cho and Seung Rae Lee; 128(9), 756-63 (2002).

Rayleigh waves
Parameter Estimation in Finite Element Simulations of Rayleigh Waves. — A. Zerwer, G. Cascante, and J. Hutchinson; 128(3), 250-61 (2002).

Recycling
Engineering Behavior of a Sand Reinforced with Plastic Waste. — Nilo Cesar Consoli, Júlio Portella Montardo, Pedro Domingos Marques Prietto, and Giovana Savitri Pasa; 128(6), 462-72 (2002).

Reinforcement
Some Design Considerations for Embankments on Rate Sensitive Soils. — Allen Lunzhu Li and R. Kerry Rowe; 128(11), 885-97 (2002).

Residual soils
Numerical Analysis of a Tunnel in Residual Soils. — Roberto F. Azevedo, Alexandre B. Parreira, and Jorge G. Zornberg; 128(3), 227-36 (2002).
Effect of Construction on Axial Capacity of Drilled Foundations in Piedmont Soils. — Dan Brown; 128(12), 967-73 (2002).

Residual stress
Pile Driving Analysis for Top Hammering and Bottom Hammering. — Jonggeun Choe and Hans C. Juvkam-Wold; 128(2), 174-82 (2002).

Resonance
Dynamic Coupling Effects in Frictional Geomaterials—Stochastic Resonance. — Yu-Hsing Wang and J. Carlos Santamarina; 128(11), 952-62 (2002).

Retaining walls
Propagation of Localization Instability Under Active and Passive Loading. — Ronaldo I. Borja and Timothy Y. Lai; 128(1), 64-75 (2002).
Transmission of Shear Forces in Sheet Pile Interlocks. — H. Schmieg and P. Vielsack; 128(4), 292-7 (2002).
Effect of Live Load Surcharge on Retaining Walls and Abutments. — John S. Kim and Richard M. Barker; 128(10), 803-13 (2002).

Roads
Traffic-Load-Induced Permanent Deformation of Road on Soft Subsoil. — Jin-Chun Chai and N. Miura; 128(11), 907-16 (2002).

Rocks
Field and Laboratory Testing of St. Peter Sandstone. — M. Dittes and J. F. Labuz; 128(5), 372-80 (2002).

Sample distribution
Sampling Disturbance Effects in Normally Consolidated Clays. — M. C. Santagata and J. T. Germaine; 128(12), 997-1006 (2002).

Sample disturbance
Effect of Sampling Disturbance on Properties of Singapore Clay. — Thiam-Soon Tan, Fook-Hou Lee, Poh-Ting Chong, and Hiroyuki Tanaka; 128(11), 898-906 (2002).

Sampling
Effect of Sampling Disturbance on Properties of Singapore Clay. — Thiam-Soon Tan, Fook-Hou Lee, Poh-Ting Chong, and Hiroyuki Tanaka; 128(11), 898-906 (2002).

Sand
Undrained Anisotropic Monotonic Behavior of Sand from In Situ Tests. — Debasis Roy, Richard G. Campanella, Peter M. Byrne, and John Hughes; 128(1), 85-91 (2002).
Mechanism for Postliquefaction Water Film Generation in Layered Sand. — Takeji Kokusho and Tetsuro Kojima; 128(2), 129-37 (2002).
Evaluation of a Minimum Base Resistance for Driven Pipe Piles in Siliceous Sand. — B. M. Lehane and Mark F. Randolph; 128(3), 198-205 (2002).
Foundry Green Sands as Hydraulic Barriers: Field Study. — Tarek Abichou, Craig H. Benson, and Tuncer B. Edil; 128(3), 206-15 (2002).
Interpretation of Pressuremeter Tests in Sand using Advanced Soil Model. — Yo-Ming Hsieh, Andrew J. Whittle, and Hai-Sui Yu; 128(3), 274-8 (2002).
Field and Laboratory Testing of St. Peter Sandstone. — M. Dittes and J. F. Labuz; 128(5), 372-80 (2002).
Engineering Behavior of a Sand Reinforced with Plastic Waste. — Nilo Cesar Consoli, Júlio Portella Montardo, Pedro Domingos Marques Prietto, and Giovana Savitri Pasa; 128(6), 462-72 (2002).
State Pressure Index for Modeling Sand Behavior. — Zhi-Liang Wang, Yannis F. Dafalias, Xiang-Song Li, and Faiz I. Makdisi; 128(6), 511-9 (2002).
Passive Earth Pressure with Critical State Concept. — Yung-Show Fang, Ying-Chieh Ho, and Tsang-Jiang Chen; 128(8), 651-9 (2002).
Undrained Fragility of Clean Sands, Silty Sands, and Sandy Silts. — S. Thevanayagam, T. Shenthan, S. Mohan, and J. Liang; 128(10), 849-59 (2002).
Constitutive Modeling of Inherently Anisotropic Sand Behavior. — Xiang Song Li and Yannis F. Dafalias; 128(10), 868-80 (2002).
Large and Small Strain Properties of Sands Subjected to Local Void Increase. — M. A. Fam, G. Cascante, and M. B. Dusseault; 128(12), 1018-25 (2002).

Seepage
Analysis of Critical Hydraulic Gradient for Particle Movement in Filtration. — Buddhima Indraratna and Sujeewa Radampola; 128(4), 347-50 (2002).
Least-Squares Finite-Element Evaluation of Flow Nets. — Panos D. Kiousis; 128(8), 699-701 (2002).

Seismic response
Three-Dimensional Analysis of Lateral Pile Response using Two-Dimensional Explicit Numerical Scheme. — Assaf Klar and Sam Frydman; 128(9), 775-84 (2002).
Dynamic Coupling Effects in Frictional Geomaterials—Stochastic Resonance. — Yu-Hsing Wang and J. Carlos Santamarina; 128(11), 952-62 (2002).

Seismic stability
Simplified Method for Evaluating Seismic Stability of Steep Slopes. — Scott A. Ashford and Nicholas Sitar; 128(2), 119-28 (2002).

Serviceability
Probabilistic Foundation Settlement on Spatially Random Soil. — Gordon A. Fenton and D. V. Griffiths; 128(5), 381-90 (2002).

Settlement
Evaluation of Decomposition Effect on Long-Term Settlement Prediction for Fresh Municipal Solid Waste Landfills. — Hyun Il Park, Seung Rae Lee, and Nam Young Do; 128(2), 107-18 (2002).
Settlement due to Diaphragm Wall Construction in Reclaimed Land in Hong Kong. — C. B. B. Thorley and R. A. Forth; 128(6), 473-8 (2002).
Predicting Settlement of Shallow Foundations using Neural Networks. — Mohamed A. Shahin, Holger R. Maier, and Mark B. Jaksa; 128(9), 785-93 (2002).

Shallow foundations
Performance of a Stiff Support System in Soft Clay. — Richard J. Finno, Sebastian Bryson, and Michele Calvello; 128(8), 660-71 (2002).
Predicting Settlement of Shallow Foundations using Neural Networks. — Mohamed A. Shahin, Holger R. Maier, and Mark B. Jaksa; 128(9), 785-93 (2002).

Shear forces
Transmission of Shear Forces in Sheet Pile Interlocks. — H. Schmieg and P. Vielsack; 128(4), 292-7 (2002).

Shear strength
Effect of Pile Driving on Static and Dynamic Properties of Soft Clay. — Christopher E. Hunt, Juan M. Pestana, Jonathan D. Bray, and Michael Riemer; 128(1), 13-24 (2002).
Influence of Strength Anisotropy on Piezocone Resistance in Clay. — S. F. Su and H. J. Liao; 128(2), 166-73 (2002).
Undrained Shear Strength of Pleistocene Clay in Osaka Bay. — Yoichi Watabe, Takashi Tsuchida, and Kakuichiro Adachi; 128(3), 216-26 (2002).
Transparent Amorphous Silica to Model Clay. — Magued G. Iskander, Jinyuan Liu, and Samer Sadek; 128(3), 262-73 (2002).
Properties and Performance of a Pulverized Fly Ash Grout. — I. N. Markou and D. K. Atmatzidis; 128(8), 682-91 (2002).
Effect of Sampling Disturbance on Properties of Singapore Clay. — Thiam-Soon Tan, Fook-Hou Lee, Poh-Ting Chong, and Hiroyuki Tanaka; 128(11), 898-906 (2002).
Large and Small Strain Properties of Sands Subjected to Local Void Increase. — M. A. Fam, G. Cascante, and M. B. Dusseault; 128(12), 1018-25 (2002).

Shear stress
Behavior of Dilative Sand Interfaces in a Geotribology Framework. — Joseph E. Dove and J. Bradley Jarrett; 128(1), 25-37 (2002).

Shear tests
Effect of Pile Driving on Static and Dynamic Properties of Soft Clay. — Christopher E. Hunt, Juan M. Pestana, Jonathan D. Bray, and Michael Riemer; 128(1), 13-24 (2002).
Field and Laboratory Testing of St. Peter Sandstone. — M. Dittes and J. F. Labuz; 128(5), 372-80 (2002).

Sheet piles
Transmission of Shear Forces in Sheet Pile Interlocks. — H. Schmieg and P. Vielsack; 128(4), 292-7 (2002).

Shields
Theoretical Model of Shield Behavior During Excavation. I: Theory. — Mitsutaka Sugimoto and Aphichat Sramoon; 128(2), 138-55 (2002).
Theoretical Model of Shield Behavior During Excavation. II: Application. — Aphichat Sramoon, Mitsutaka Sugimoto, and Kouji Kayukawa; 128(2), 156-65 (2002).

Shotcrete
Hybrid Method for Analysis of Segmented Shotcrete Tunnel Linings. — Roman Lackner, Jürgen Macht, Christian Hellmich, and Herbert A. Mang; 128(4), 298-308 (2002).

Shrinkage
Influence of Amorphous Clay-Size Materials on Soil Plasticity and Shrink-Swell Behavior. — Yongshan Wan, James Kwong, Horst G. Brandes, and Rollin C. Jones; 128(12), 1026-31 (2002).

Silica
Transparent Amorphous Silica to Model Clay. — Magued G. Iskander, Jinyuan Liu, and Samer Sadek; 128(3), 262-73 (2002).

Simulation
Theoretical Model of Shield Behavior During Excavation. I: Theory. — Mitsutaka Sugimoto and Aphichat Sramoon; 128(2), 138-55 (2002).

Singapore
Consolidation and Permeability Properties of Singapore Marine Clay. — J. Chu, Myint Win Bo, M. F. Chang, and V. Choa; 128(9), 724-32 (2002).
Effect of Sampling Disturbance on Properties of Singapore Clay. — Thiam-Soon Tan, Fook-Hou Lee, Poh-Ting Chong, and Hiroyuki Tanaka; 128(11), 898-906 (2002).

Site evaluation
Evaluating Site Investigation Quality using *GIS* and Geostatistics. — R. L. Parsons and J. D. Frost; 128(6), 451-61 (2002).

Site investigation
Objective Site Characterization Using Clustering of Piezocone Data. — Yasser A. Hegazy and Paul W. Mayne; 128(12), 986-96 (2002).

Sliding
Generalized Method for Three-Dimensional Slope Stability Analysis. — Ching-Chuan Huang, Cheng-Chen Tsai, and Yu-Hong Chen; 128(10), 836-48 (2002).

Slope stability
Stability Charts for Uniform Slopes. — Radoslaw L. Michalowski; 128(4), 351-5 (2002).
Evaluation of Surficial Stability for Homogeneous Slopes Considering Rainfall Characteristics. — Sung Eun Cho and Seung Rae Lee; 128(9), 756-63 (2002).
Generalized Method for Three-Dimensional Slope Stability Analysis. — Ching-Chuan Huang, Cheng-Chen Tsai, and Yu-Hong Chen; 128(10), 836-48 (2002).

Slopes
Simplified Method for Evaluating Seismic Stability of Steep Slopes. — Scott A. Ashford and Nicholas Sitar; 128(2), 119-28 (2002).
Stability Charts for Uniform Slopes. — Radoslaw L. Michalowski; 128(4), 351-5 (2002).
Stability Analysis of Complex Soil Slopes using Limit Analysis. — Jongmin Kim, Rodrigo Salgado, and Junhwan Lee; 128(7), 546-57 (2002).
Site Investigations for Involvement of Water Films in Lateral Flow in Liquefied Ground. — Takeji Kokusho and Katsuhisa Fujita; 128(11), 917-25 (2002).

Slurries
Runout Analysis of Slurry Flows with Bingham Model. — H. Chen and C. F. Lee; 128(12), 1032-42 (2002).

Soft soils
Numerical Analysis of Geosynthetic-Reinforced and Pile-Supported Earth Platforms over Soft Soil. — J. Han and M. A. Gabr; 128(1), 44-53 (2002).
Performance of a Stiff Support System in Soft Clay. — Richard J. Finno, Sebastian Bryson, and Michele Calvello; 128(8), 660-71 (2002).
Some Design Considerations for Embankments on Rate Sensitive Soils. — Allen Lunzhu Li and R. Kerry Rowe; 128(11), 885-97 (2002).
Traffic-Load-Induced Permanent Deformation of Road on Soft Subsoil. — Jin-Chun Chai and N. Miura; 128(11), 907-16 (2002).

Soil
Bearing Capacity of Circular Footings. — Hans L. Erickson and Andrew Drescher; 128(1), 38-43 (2002).
Site Investigations for Involvement of Water Films in Lateral Flow in Liquefied Ground. — Takeji Kokusho and Katsuhisa Fujita; 128(11), 917-25 (2002).

Soil classification
Objective Site Characterization Using Clustering of Piezocone Data. — Yasser A. Hegazy and Paul W. Mayne; 128(12), 986-96 (2002).

Soil compaction
Impact of Soil Type and Compaction Conditions on Soil Water Characteristic. — C. J. Miller, N. Yesiller, K. Yaldo, and S. Merayyan; 128(9), 733-42 (2002).

Soil conditions
Impact of Soil Type and Compaction Conditions on Soil Water Characteristic. — C. J. Miller, N. Yesiller, K. Yaldo, and S. Merayyan; 128(9), 733-42 (2002).

Soil deformation
Soil Deformation and Excess Pore Pressure Field around a Closed-Ended Pile. — Juan M. Pestana, Christopher E. Hunt, and Jonathan D. Bray; 128(1), 1-12 (2002).
Traffic-Load-Induced Permanent Deformation of Road on Soft Subsoil. — Jin-Chun Chai and N. Miura; 128(11), 907-16 (2002).

Soil improvement
Engineering Behavior of a Sand Reinforced with Plastic Waste. — Nilo Cesar Consoli, Júlio Portella Montardo, Pedro Domingos Marques Prietto, and Giovana Savitri Pasa; 128(6), 462-72 (2002).

Soil layers
Analytical Solutions of Linear Finite-Strain One-Dimensional Consolidation. — P. H. Morris; 128(4), 319-26 (2002).

Soil lime
First-Order Rate Equations in Geotechnical Engineering. — Richard L. Handy; 128(5), 416-25 (2002).

Soil permeability
Mechanism for Postliquefaction Water Film Generation in Layered Sand. — Takeji Kokusho and Tetsuro Kojima; 128(2), 129-37 (2002).

Soil pressure
Ultimate Soil Pressures for Piles Subjected to Lateral Soil Movements. — J. L. Pan, A. T. C. Goh, K. S. Wong, and C. I. Teh; 128(6), 530-5 (2002).

Soil properties
Effect of Pile Driving on Static and Dynamic Properties of Soft Clay. — Christopher E. Hunt, Juan M. Pestana, Jonathan D. Bray, and Michael Riemer; 128(1), 13-24 (2002).
Probabilistic Foundation Settlement on Spatially Random Soil. — Gordon A. Fenton and D. V. Griffiths; 128(5), 381-90 (2002).
Undrained Fragility of Clean Sands, Silty Sands, and Sandy Silts. — S. Thevanayagam, T. Shenthan, S. Mohan, and J. Liang; 128(10), 849-59 (2002).

Soil settlement
Mechanism for Postliquefaction Water Film Generation in Layered Sand. — Takeji Kokusho and Tetsuro Kojima; 128(2), 129-37 (2002).

Soil water
Mechanism for Postliquefaction Water Film Generation in Layered Sand. — Takeji Kokusho and Tetsuro Kojima; 128(2), 129-37 (2002).
Impact of Soil Type and Compaction Conditions on Soil Water Characteristic. — C. J. Miller, N. Yesiller, K. Yaldo, and S. Merayyan; 128(9), 733-42 (2002).

Soil-pile interaction
Load Transfer Curves along Bored Piles Considering Modulus Degradation. — Hong Zhu and Ming-Fang Chang; 128(9), 764-74 (2002).
Three-Dimensional Analysis of Lateral Pile Response using Two-Dimensional Explicit Numerical Scheme. — Assaf Klar and Sam Frydman; 128(9), 775-84 (2002).

Soil-structure interaction
Yielding from Field Behavior and its Influence on Oil Tank Settlements. — Riccardo Berardi and Renato Lancellotta; 128(5), 404-15 (2002).
Minimum Depth of Soil Cover above Soil–Steel Bridges. — George Abdel-Sayed and Sameh R. Salib; 128(8), 672-81 (2002).

Soils
Tied-Back Excavations in Alluvial Soil of Taipei. — H. J. Liao and P. G. Hsieh; 128(5), 435-41 (2002).
Large Sample Spacing in Evaluation of Vertical Strength Variability of Clayey Soil. — Francesco Cafaro and Claudio Cherubini; 128(7), 558-68 (2002).
Predicting Soil and Structure Vibrations from Impact Machines. — Mark R. Svinkin; 128(7), 602-12 (2002).
Influence of Amorphous Clay-Size Materials on Soil Plasticity and Shrink-Swell Behavior. — Yongshan Wan, James Kwong, Horst G. Brandes, and Rollin C. Jones; 128(12), 1026-31 (2002).

Solid wastes
Evaluation of Decomposition Effect on Long-Term Settlement Prediction for Fresh Municipal Solid Waste Landfills. — Hyun Il Park, Seung Rae Lee, and Nam Young Do; 128(2), 107-18 (2002).
Constitutive Model for Municipal Solid Waste. — Sandro L. Machado, Miriam F. Carvalho, and Orencio M. Vilar; 128(11), 940-51 (2002).

Spacing
Large Sample Spacing in Evaluation of Vertical Strength Variability of Clayey Soil. — Francesco Cafaro and Claudio Cherubini; 128(7), 558-68 (2002).

Stability
Base Stability of Circular Excavations in Soft Clay. — Fei Cai, Keizo Ugai, and Toshiyuki Hagiwara; 128(8), 702-6 (2002).

Stability analysis
Simplified Method for Evaluating Seismic Stability of Steep Slopes. — Scott A. Ashford and Nicholas Sitar; 128(2), 119-28 (2002).
Stability Analysis of Complex Soil Slopes using Limit Analysis. — Jongmin Kim, Rodrigo Salgado, and Junhwan Lee; 128(7), 546-57 (2002).

Statistical analysis
Objective Site Characterization Using Clustering of Piezocone Data. — Yasser A. Hegazy and Paul W. Mayne; 128(12), 986-96 (2002).

Statistics
Assessing Probability-based Methods for Liquefaction Potential Evaluation. — C. Hsein Juang, Tao Jiang, and Ronald D. Andrus; 128(7), 580-9 (2002).

Steel
Minimum Depth of Soil Cover above Soil–Steel Bridges. — George Abdel-Sayed and Sameh R. Salib; 128(8), 672-81 (2002).

Stiffness
Practical Solution for Group Stiffness Analysis of Piles. — W. Y. Shen and C. I. Teh; 128(8), 692-8 (2002).

Storage tanks
Yielding from Field Behavior and its Influence on Oil Tank Settlements. — Riccardo Berardi and Renato Lancellotta; 128(5), 404-15 (2002).

Strain
Large and Small Strain Properties of Sands Subjected to Local Void Increase. — M. A. Fam, G. Cascante, and M. B. Dusseault; 128(12), 1018-25 (2002).

Strain distribution
Propagation of Localization Instability Under Active and Passive Loading. — Ronaldo I. Borja and Timothy Y. Lai; 128(1), 64-75 (2002).

Strain softening
State Pressure Index for Modeling Sand Behavior. — Zhi-Liang Wang, Yannis F. Dafalias, Xiang-Song Li, and Faiz I. Makdisi; 128(6), 511-9 (2002).

Stream function
Least-Squares Finite-Element Evaluation of Flow Nets. — Panos D. Kiousis; 128(8), 699-701 (2002).

Strength
Large Sample Spacing in Evaluation of Vertical Strength Variability of Clayey Soil. — Francesco Cafaro and Claudio Cherubini; 128(7), 558-68 (2002).

Stress analysis
Ground Response in Lotung: Total Stress Analyses and Parametric Studies. — Ronaldo I. Borja, Blaise G. Duvernay, and Chao-Hua Lin; 128(1), 54-63 (2002).

Stress distribution
Numerical Analysis of Geosynthetic-Reinforced and Pile-Supported Earth Platforms over Soft Soil. — J. Han and M. A. Gabr; 128(1), 44-53 (2002).

Stress history
Neural Networks for Profiling Stress History of Clays from PCPT Data. — Pradeep U. Kurup and Nitin K. Dudani; 128(7), 569-79 (2002).

Stress relaxation
Some Design Considerations for Embankments on Rate Sensitive Soils. — Allen Lunzhu Li and R. Kerry Rowe; 128(11), 885-97 (2002).

Stress strain curves
Undrained Anisotropic Monotonic Behavior of Sand from In Situ Tests. — Debasis Roy, Richard G. Campanella, Peter M. Byrne, and John Hughes; 128(1), 85-91 (2002).
Undrained Fragility of Clean Sands, Silty Sands, and Sandy Silts. — S. Thevanayagam, T. Shenthan, S. Mohan, and J. Liang; 128(10), 849-59 (2002).

Structures
Predicting Soil and Structure Vibrations from Impact Machines. — Mark R. Svinkin; 128(7), 602-12 (2002).

Subsurface investigations
Instrumented Borehole Drilling for Subsurface Investigation. — M. W. Gui, K. Soga, M. D. Bolton, and J. P. Hamelin; 128(4), 283-91 (2002).

Supports
Performance of a Stiff Support System in Soft Clay. — Richard J. Finno, Sebastian Bryson, and Michele Calvello; 128(8), 660-71 (2002).

Suspension
Properties and Performance of a Pulverized Fly Ash Grout. — I. N. Markou and D. K. Atmatzidis; 128(8), 682-91 (2002).

Taiwan
Tied-Back Excavations in Alluvial Soil of Taipei. — H. J. Liao and P. G. Hsieh; 128(5), 435-41 (2002).

Tests
Interpretation of Pressuremeter Tests in Sand using Advanced Soil Model. — Yo-Ming Hsieh, Andrew J. Whittle, and Hai-Sui Yu; 128(3), 274-8 (2002).

Theories
Theoretical Model of Shield Behavior During Excavation. I: Theory. — Mitsutaka Sugimoto and Aphichat Sramoon; 128(2), 138-55 (2002).
Theoretical Model of Shield Behavior During Excavation. II: Application. — Aphichat Sramoon, Mitsutaka Sugimoto, and Kouji Kayukawa; 128(2), 156-65 (2002).

Thickness
Transit-Time Design for Diffusion through Composite Liners. — Gary J. Foose; 128(7), 590-601 (2002).

Three-dimensional analysis
Three-Dimensional Analysis of Lateral Pile Response using Two-Dimensional Explicit Numerical Scheme. — Assaf Klar and Sam Frydman; 128(9), 775-84 (2002).
Generalized Method for Three-Dimensional Slope Stability Analysis. — Ching-Chuan Huang, Cheng-Chen Tsai, and Yu-Hong Chen; 128(10), 836-48 (2002).

Topography
Behavior of Dilative Sand Interfaces in a Geotribology Framework. — Joseph E. Dove and J. Bradley Jarrett; 128(1), 25-37 (2002).
Triaxial tests
Undrained Shear Strength of Pleistocene Clay in Osaka Bay. — Yoichi Watabe, Takashi Tsuchida, and Kakuichiro Adachi; 128(3), 216-26 (2002).
Effect of Cement Type on Shear Behavior of Cemented Calcareous Soil. — Mostafa A. Ismail, Hackmet A. Joer, Wee H. Sim, and Mark F. Randolph; 128(6), 520-9 (2002).
Sampling Disturbance Effects in Normally Consolidated Clays. — M. C. Santagata and J. T. Germaine; 128(12), 997-1006 (2002).
Tunnel linings
Hybrid Method for Analysis of Segmented Shotcrete Tunnel Linings. — Roman Lackner, Jürgen Macht, Christian Hellmich, and Herbert A. Mang; 128(4), 298-308 (2002).
Tunneling
Theoretical Model of Shield Behavior During Excavation. I: Theory. — Mitsutaka Sugimoto and Aphichat Sramoon; 128(2), 138-55 (2002).
Theoretical Model of Shield Behavior During Excavation. II: Application. — Aphichat Sramoon, Mitsutaka Sugimoto, and Kouji Kayukawa; 128(2), 156-65 (2002).
Hybrid Method for Analysis of Segmented Shotcrete Tunnel Linings. — Roman Lackner, Jürgen Macht, Christian Hellmich, and Herbert A. Mang; 128(4), 298-308 (2002).
Tunnels
Numerical Analysis of a Tunnel in Residual Soils. — Roberto F. Azevedo, Alexandre B. Parreira, and Jorge G. Zornberg; 128(3), 227-36 (2002).
Ground Subsidence due to a Shallow Tunnel in Dense Sandy Gravel. — Fernando Rodríguez-Roa; 128(5), 426-34 (2002).
Underground structures
Performance of a Stiff Support System in Soft Clay. — Richard J. Finno, Sebastian Bryson, and Michele Calvello; 128(8), 660-71 (2002).
Undrained shear strength
Undrained Shear Strength of Pleistocene Clay in Osaka Bay. — Yoichi Watabe, Takashi Tsuchida, and Kakuichiro Adachi; 128(3), 216-26 (2002).
Unsaturated soils
Evaluation of Surficial Stability for Homogeneous Slopes Considering Rainfall Characteristics. — Sung Eun Cho and Seung Rae Lee; 128(9), 756-63 (2002).
Water Flow in Unsaturated Soils in Microgravity Environment. — Abdel-Mohsen O. Mohamed, Hogan E. Antia, and Raymond G. Gosine; 128(10), 814-23 (2002).
Vadose zone
Preferential Flow of a Nonaqueous Phase Liquid in Dry Sand. — P. J. Culligan, K. Banno, D. A. Barry, T. S. Steenhuis, and J.-Y. Parlange; 128(4), 327-37 (2002).
Velocity
Large and Small Strain Properties of Sands Subjected to Local Void Increase. — M. A. Fam, G. Cascante, and M. B. Dusseault; 128(12), 1018-25 (2002).
Vertical angles
Passive Earth Pressure with Critical State Concept. — Yung-Show Fang, Ying-Chieh Ho, and Tsang-Jiang Chen; 128(8), 651-9 (2002).
Vertical loads
Large Sample Spacing in Evaluation of Vertical Strength Variability of Clayey Soil. — Francesco Cafaro and Claudio Cherubini; 128(7), 558-68 (2002).
Experimental Investigations of Response of Suction Caissons to Transient Vertical Loading. — Byron W. Byrne and Guy T. Houlsby; 128(11), 926-39 (2002).
Vibration
Predicting Soil and Structure Vibrations from Impact Machines. — Mark R. Svinkin; 128(7), 602-12 (2002).
Dynamic Coupling Effects in Frictional Geomaterials—Stochastic Resonance. — Yu-Hsing Wang and J. Carlos Santamarina; 128(11), 952-62 (2002).
Volume change
Behavior of Dilative Sand Interfaces in a Geotribology Framework. — Joseph E. Dove and J. Bradley Jarrett; 128(1), 25-37 (2002).
Waste sites
Runout Analysis of Slurry Flows with Bingham Model. — H. Chen and C. F. Lee; 128(12), 1032-42 (2002).
Waste treatment
Constitutive Model for Municipal Solid Waste. — Sandro L. Machado, Miriam F. Carvalho, and Orencio M. Vilar; 128(11), 940-51 (2002).
Water flow
Water Flow in Unsaturated Soils in Microgravity Environment. — Abdel-Mohsen O. Mohamed, Hogan E. Antia, and Raymond G. Gosine; 128(10), 814-23 (2002).
Wave energy
Energy Dissipation in Surface Layer due to Vertically Propagating SH Wave. — Takeji Kokusho and Ryuichi Motoyama; 128(4), 309-18 (2002).
Wave equations
Pile Driving Analysis for Top Hammering and Bottom Hammering. — Jonggeun Choe and Hans C. Juvkam-Wold; 128(2), 174-82 (2002).
Wave propagation
Parameter Estimation in Finite Element Simulations of Rayleigh Waves. — A. Zerwer, G. Cascante, and J. Hutchinson; 128(3), 250-61 (2002).
Wind velocity
Predicting Airflow Rates in the Coarse Layer of Passive Dry Barriers. — Brian A. Albrecht and Craig H. Benson; 128(4), 338-46 (2002).
Yield
Yielding from Field Behavior and its Influence on Oil Tank Settlements. — Riccardo Berardi and Renato Lancellotta; 128(5), 404-15 (2002).

Author Index

Abdel-Sayed, George
Minimum Depth of Soil Cover above Soil–Steel Bridges. — George Abdel-Sayed and Sameh R. Salib; 128(8), 672-81 (2002).

Abichou, Tarek
Foundry Green Sands as Hydraulic Barriers: Field Study. — Tarek Abichou, Craig H. Benson, and Tuncer B. Edil; 128(3), 206-15 (2002).

Adachi, Kakuichiro
Undrained Shear Strength of Pleistocene Clay in Osaka Bay. — Yoichi Watabe, Takashi Tsuchida, and Kakuichiro Adachi; 128(3), 216-26 (2002).

Albrecht, Brian A.
Predicting Airflow Rates in the Coarse Layer of Passive Dry Barriers. — Brian A. Albrecht and Craig H. Benson; 128(4), 338-46 (2002).
Closure to "Effect of Desiccation on Compacted Natural Clays" by Brian A. Albrecht and Craig H. Benson. — Brian A. Albrecht and Craig H. Benson; 128(4), 357-60 (2002).

Amini, F.
Closure to "Liquefaction Testing of Stratified Silty Sands," by F. Amini, M.ASCE, and G. Z. Qi. — F. Amini; 128(1), 96 (2002).

Anandarajah, A.
Closure to "Pore Fluid Properties and Compressibility of Kaolinite" by J. Chen, A. Anandarajah, and H. Inyang. — J. Chen and A. Anandarajah; 128(4), 362 (2002).

Andrus, Ronald D.
Assessing Probability-based Methods for Liquefaction Potential Evaluation. — C. Hsein Juang, Tao Jiang, and Ronald D. Andrus; 128(7), 580-9 (2002).

Antia, Hogan E.
Water Flow in Unsaturated Soils in Microgravity Environment. — Abdel-Mohsen O. Mohamed, Hogan E. Antia, and Raymond G. Gosine; 128(10), 814-23 (2002).

Ashford, Scott A.
Simplified Method for Evaluating Seismic Stability of Steep Slopes. — Scott A. Ashford and Nicholas Sitar; 128(2), 119-28 (2002).

Atmatzidis, D. K.
Properties and Performance of a Pulverized Fly Ash Grout. — I. N. Markou and D. K. Atmatzidis; 128(8), 682-91 (2002).

Azevedo, Roberto F.
Numerical Analysis of a Tunnel in Residual Soils. — Roberto F. Azevedo, Alexandre B. Parreira, and Jorge G. Zornberg; 128(3), 227-36 (2002).

Banno, K.
Preferential Flow of a Nonaqueous Phase Liquid in Dry Sand. — P. J. Culligan, K. Banno, D. A. Barry, T. S. Steenhuis, and J.-Y. Parlange; 128(4), 327-37 (2002).

Barker, Richard M.
Effect of Live Load Surcharge on Retaining Walls and Abutments. — John S. Kim and Richard M. Barker; 128(10), 803-13 (2002).

Barry, D. A.
Preferential Flow of a Nonaqueous Phase Liquid in Dry Sand. — P. J. Culligan, K. Banno, D. A. Barry, T. S. Steenhuis, and J.-Y. Parlange; 128(4), 327-37 (2002).

Bartlett, Steven F.
Revised Multilinear Regression Equations for Prediction of Lateral Spread Displacement. — T. Leslie Youd, Corbett M. Hansen, and Steven F. Bartlett; 128(12), 1007-17 (2002).

Benson, Craig H.
Foundry Green Sands as Hydraulic Barriers: Field Study. — Tarek Abichou, Craig H. Benson, and Tuncer B. Edil; 128(3), 206-15 (2002).
Predicting Airflow Rates in the Coarse Layer of Passive Dry Barriers. — Brian A. Albrecht and Craig H. Benson; 128(4), 338-46 (2002).
Closure to "Effect of Desiccation on Compacted Natural Clays" by Brian A. Albrecht and Craig H. Benson. — Brian A. Albrecht and Craig H. Benson; 128(4), 357-60 (2002).
Comparison of Solute Transport in Three Composite Liners. — Gary J. Foose, Craig H. Benson, and Tuncer B. Edil; 128(5), 391-403 (2002).

Berardi, Riccardo
Yielding from Field Behavior and its Influence on Oil Tank Settlements. — Riccardo Berardi and Renato Lancellotta; 128(5), 404-15 (2002).

Bhattacharya, Gautam
Discussion of "Global Search Method for Locating General Slip Surface Using Monte Carlo Techniques" by Abdallah I. Husein Malkawi, Waleed F. Hassan, and Sarada K. Sarma. — Gautam Bhattacharya; 128(12), 1048-9 (2002).

Bo, Myint Win
Consolidation and Permeability Properties of Singapore Marine Clay. — J. Chu, Myint Win Bo, M. F. Chang, and V. Choa; 128(9), 724-32 (2002).

Bolton, M. D.
Instrumented Borehole Drilling for Subsurface Investigation. — M. W. Gui, K. Soga, M. D. Bolton, and J. P. Hamelin; 128(4), 283-91 (2002).

Boone, S. J.
Discussion of "Database for Retaining Wall and Ground Movement due to Deep Excavations" by Michael Long. — S. J. Boone; 128(6), 536 (2002).

Borja, Ronaldo I.
Ground Response in Lotung: Total Stress Analyses and Parametric Studies. — Ronaldo I. Borja, Blaise G. Duvernay, and Chao-Hua Lin; 128(1), 54-63 (2002).
Propagation of Localization Instability Under Active and Passive Loading. — Ronaldo I. Borja and Timothy Y. Lai; 128(1), 64-75 (2002).

Brandes, Horst G.
Influence of Amorphous Clay-Size Materials on Soil Plasticity and Shrink-Swell Behavior. — Yongshan Wan, James Kwong, Horst G. Brandes, and Rollin C. Jones; 128(12), 1026-31 (2002).

Bray, Jonathan D.
Soil Deformation and Excess Pore Pressure Field around a Closed-Ended Pile. — Juan M. Pestana, Christopher E. Hunt, and Jonathan D. Bray; 128(1), 1-12 (2002).
Effect of Pile Driving on Static and Dynamic Properties of Soft Clay. — Christopher E. Hunt, Juan M. Pestana, Jonathan D. Bray, and Michael Riemer; 128(1), 13-24 (2002).

Brown, Dan
Effect of Construction on Axial Capacity of Drilled Foundations in Piedmont Soils. — Dan Brown; 128(12), 967-73 (2002).

Bryson, Sebastian
Performance of a Stiff Support System in Soft Clay. — Richard J. Finno, Sebastian Bryson, and Michele Calvello; 128(8), 660-71 (2002).

Byrne, Byron W.
Experimental Investigations of Response of Suction Caissons to Transient Vertical Loading. — Byron W. Byrne and Guy T. Houlsby; 128(11), 926-39 (2002).

Byrne, Peter M.
Undrained Anisotropic Monotonic Behavior of Sand from In Situ Tests. — Debasis Roy, Richard G. Campanella, Peter M. Byrne, and John Hughes; 128(1), 85-91 (2002).

Cafaro, Francesco
Large Sample Spacing in Evaluation of Vertical Strength Variability of Clayey Soil. — Francesco Cafaro and Claudio Cherubini; 128(7), 558-68 (2002).

Cai, Fei
Base Stability of Circular Excavations in Soft Clay. — Fei Cai, Keizo Ugai, and Toshiyuki Hagiwara; 128(8), 702-6 (2002).

Calvello, Michele
Performance of a Stiff Support System in Soft Clay. — Richard J. Finno, Sebastian Bryson, and Michele Calvello; 128(8), 660-71 (2002).

Campanella, Richard G.
Undrained Anisotropic Monotonic Behavior of Sand from In Situ Tests. — Debasis Roy, Richard G. Campanella, Peter M. Byrne, and John Hughes; 128(1), 85-91 (2002).

Carraro, João Antônio Harb
Closure to "Behavior of Compacted Soil-Fly Ash-Carbide Lime Mixtures" by Nilo Cesar Consoli, Pedro Domingos Marques Prietto, João Antônio Harb Carraro, and Karla Salvagni Heineck. — Nilo Cesar Consoli, Pedro Domingos Marques Prietto, João Antônio Harb Carraro, and Karla Salvagni Heineck; 128(12), 1047-8 (2002).

Carvalho, Miriam F.
Constitutive Model for Municipal Solid Waste. — Sandro L. Machado, Miriam F. Carvalho, and Orencio M. Vilar; 128(11), 940-51 (2002).

Cascante, G.
Parameter Estimation in Finite Element Simulations of Rayleigh Waves. — A. Zerwer, G. Cascante, and J. Hutchinson; 128(3), 250-61 (2002).
Large and Small Strain Properties of Sands Subjected to Local Void Increase. — M. A. Fam, G. Cascante, and M. B. Dusseault; 128(12), 1018-25 (2002).

Castelli, F.
Discussion of "Response of Laterally Loaded Large-Diameter Bored Pile Groups" by Charles W. W. Ng, Limin Zhang, and Dora C. N. Nip. — F. Castelli; 128(11), 963-4 (2002).

Castelli, Francesco
Simplified Nonlinear Analysis for Settlement Prediction of Pile Groups. — Francesco Castelli and Michele Maugeri; 128(1), 76-84 (2002).

Castro, Gonzalo
Closure to "1907 Static Liquefaction Flow Failure of the North Dike of Wachusett Dam" by Scott M. Olson, Timothy D. Stark, William H. Walton, and Gonzalo Castro. — Scott M. Olson, Timothy D. Stark, William H. Walton, and Gonzalo Castro; 128(9), 801 (2002).

Chai, Jin-Chun
Traffic-Load-Induced Permanent Deformation of Road on Soft Subsoil. — Jin-Chun Chai and N. Miura; 128(11), 907-16 (2002).

Chang, M. F.
Consolidation and Permeability Properties of Singapore Marine Clay. — J. Chu, Myint Win Bo, M. F. Chang, and V. Choa; 128(9), 724-32 (2002).

Chang, Ming-Fang
Load Transfer Curves along Bored Piles Considering Modulus Degradation. — Hong Zhu and Ming-Fang Chang; 128(9), 764-74 (2002).

Chen, H.
Runout Analysis of Slurry Flows with Bingham Model. — H. Chen and C. F. Lee; 128(12), 1032-42 (2002).

Chen, J.
Closure to "Pore Fluid Properties and Compressibility of Kaolinite" by J. Chen, A. Anandarajah, and H. Inyang. — J. Chen and A. Anandarajah; 128(4), 362 (2002).

Chen, L. T.
Discussion of "Behavior of Pile Subject to Excavation-Induced Soil Movement" by C. F. Leung, Y. K. Chow, and R. F. Shen. — L. T. Chen and H. G. Poulos; 128(3), 279-80 (2002).

Chen, Tsang-Jiang
Passive Earth Pressure with Critical State Concept. — Yung-Show Fang, Ying-Chieh Ho, and Tsang-Jiang Chen; 128(8), 651-9 (2002).

Chen, Yu-Hong
Generalized Method for Three-Dimensional Slope Stability Analysis. — Ching-Chuan Huang, Cheng-Chen Tsai, and Yu-Hong Chen; 128(10), 836-48 (2002).

Cherubini, Claudio
Large Sample Spacing in Evaluation of Vertical Strength Variability of Clayey Soil. — Francesco Cafaro and Claudio Cherubini; 128(7), 558-68 (2002).

Cho, Sung Eun
Evaluation of Surficial Stability for Homogeneous Slopes Considering Rainfall Characteristics. — Sung Eun Cho and Seung Rae Lee; 128(9), 756-63 (2002).

Choa, V.
Consolidation and Permeability Properties of Singapore Marine Clay. — J. Chu, Myint Win Bo, M. F. Chang, and V. Choa; 128(9), 724-32 (2002).

Choe, Jonggeun
Pile Driving Analysis for Top Hammering and Bottom Hammering. — Jonggeun Choe and Hans C. Juvkam-Wold; 128(2), 174-82 (2002).

Chong, Poh-Ting
Effect of Sampling Disturbance on Properties of Singapore Clay. — Thiam-Soon Tan, Fook-Hou Lee, Poh-Ting Chong, and Hiroyuki Tanaka; 128(11), 898-906 (2002).

Chow, Y. K.
Closure to "Behavior of Pile Subject to Excavation-Induced Soil Movement" by C. F. Leung, Y. K. Chow, and R. F. Shen. — C. F. Leung, Y. K. Chow, and R. F. Shen; 128(3), 280-2 (2002).

Christian, John T.
Limits on a Common Approximation for Layered Consolidation Analysis. — Alfredo Urzua and John T. Christian; 128(12), 1043-5 (2002).

Chu, J.
Consolidation and Permeability Properties of Singapore Marine Clay. — J. Chu, Myint Win Bo, M. F. Chang, and V. Choa; 128(9), 724-32 (2002).

Çokça, Erdal
Closure to "Use of Class C Fly Ashes for the Stabilization of an Expansive Soil" by Erdal Çokça. — Erdal Çokça; 128(11), 966 (2002).

Consoli, Nilo Cesar
Engineering Behavior of a Sand Reinforced with Plastic Waste. — Nilo Cesar Consoli, Júlio Portella Montardo, Pedro Domingos Marques Prietto, and Giovana Savitri Pasa; 128(6), 462-72 (2002).
Closure to "Behavior of Compacted Soil-Fly Ash-Carbide Lime Mixtures" by Nilo Cesar Consoli, Pedro Domingos Marques Prietto, João Antônio Harb Carraro, and Karla Salvagni Heineck. — Nilo Cesar Consoli, Pedro Domingos Marques Prietto, João Antônio Harb Carraro, and Karla Salvagni Heineck; 128(12), 1047-8 (2002).

Cuestas, German A.
Ohmic Conductivity of a Compacted Silty Clay. — Victor A. Rinaldi and German A. Cuestas; 128(10), 824-35 (2002).

Culligan, P. J.
Preferential Flow of a Nonaqueous Phase Liquid in Dry Sand. — P. J. Culligan, K. Banno, D. A. Barry, T. S. Steenhuis, and J.-Y. Parlange; 128(4), 327-37 (2002).

Dafalias, Yannis F.
State Pressure Index for Modeling Sand Behavior. — Zhi-Liang Wang, Yannis F. Dafalias, Xiang-Song Li, and Faiz I. Makdisi; 128(6), 511-9 (2002).
Constitutive Modeling of Inherently Anisotropic Sand Behavior. — Xiang Song Li and Yannis F. Dafalias; 128(10), 868-80 (2002).

Daniel, David E.
Long-Term Tritium Transport through Field-Scale Compacted Soil Liner. — Cécile Toupiol, Thomas W. Willingham, Albert J. Valocchi, Charles J. Werth, Ivan G. Krapac, Timothy D. Stark, and David E. Daniel; 128(8), 640-50 (2002).

Davidson, Richard R.
Discussion of "1907 Static Liquefaction Flow Failure of North Dike of Wachusett Dam" by Scott M. Olson, Timothy D. Stark, William H. Walton, and Gonzalo Castro. — Yoshi Moriwaki, Phalkun Tan, Raymond B. Seed, and Richard R. Davidson; 128(9), 800 (2002).

de Sanctis, Luca
Discussion of "Contribution to Piled Raft Foundation Design" by Widjojo A. Prakoso and Fred H. Kulhawy. — Luca de Sanctis and Gianpiero Russo; 128(8), 707-8 (2002).

Dittes, M.
Field and Laboratory Testing of St. Peter Sandstone. — M. Dittes and J. F. Labuz; 128(5), 372-80 (2002).

Do, Nam Young
Evaluation of Decomposition Effect on Long-Term Settlement Prediction for Fresh Municipal Solid Waste Landfills. — Hyun Il Park, Seung Rae Lee, and Nam Young Do; 128(2), 107-18 (2002).

Dong, Ping
Discussion of "New Failure Load Criterion for Large Diameter Bored Piles in Weathered Geomaterials" by Charles W. W. Ng, Terence L. Y. Yau, Jonathan H. M. Li, and Wilson H. Tang. — Ran Qin and Ping Dong; 128(10), 881-2 (2002).

Dove, Joseph E.
Behavior of Dilative Sand Interfaces in a Geotribology Framework. — Joseph E. Dove and J. Bradley Jarrett; 128(1), 25-37 (2002).

Drescher, Andrew
Bearing Capacity of Circular Footings. — Hans L. Erickson and Andrew Drescher; 128(1), 38-43 (2002).

Dudani, Nitin K.
Neural Networks for Profiling Stress History of Clays from PCPT Data. — Pradeep U. Kurup and Nitin K. Dudani; 128(7), 569-79 (2002).

Durrett, Stephen G.
Dewatering Cofferdam for Construction of Olmsted Locks. — Charles I. Mansur and Stephen G. Durrett; 128(6), 496-510 (2002).

Dusseault, M. B.
Large and Small Strain Properties of Sands Subjected to Local Void Increase. — M. A. Fam, G. Cascante, and M. B. Dusseault; 128(12), 1018-25 (2002).

Duvernay, Blaise G.
Ground Response in Lotung: Total Stress Analyses and Parametric Studies. — Ronaldo I. Borja, Blaise G. Duvernay, and Chao-Hua Lin; 128(1), 54-63 (2002).

Edil, Tuncer B.
Foundry Green Sands as Hydraulic Barriers: Field Study. — Tarek Abichou, Craig H. Benson, and Tuncer B. Edil; 128(3), 206-15 (2002).
Comparison of Solute Transport in Three Composite Liners. — Gary J. Foose, Craig H. Benson, and Tuncer B. Edil; 128(5), 391-403 (2002).

Elhakim, Amr F.
Discussion of "Side Resistance in Piles and Drilled Shafts" by Michael W. O'Neill. — Amr F. Elhakim and Paul W. Mayne; 128(5), 448-9 (2002).

Erickson, Hans L.
Bearing Capacity of Circular Footings. — Hans L. Erickson and Andrew Drescher; 128(1), 38-43 (2002).

Escario, Ventura
Discussion of "Volume Change Behavior of Collapsible Compacted Gneiss Soil," by Jose H. F. Pereira and Delwyn G. Fredlund. — Ventura Escario; 128(2), 183-4 (2002).

Fam, M. A.
Large and Small Strain Properties of Sands Subjected to Local Void Increase. — M. A. Fam, G. Cascante, and M. B. Dusseault; 128(12), 1018-25 (2002).

Fang, Yung-Show
Passive Earth Pressure with Critical State Concept. — Yung-Show Fang, Ying-Chieh Ho, and Tsang-Jiang Chen; 128(8), 651-9 (2002).

Fellenius, Bengt H.
Discussion of "Side Resistance in Piles and Drilled Shafts" by Michael W. O'Neill. — Bengt H. Fellenius; 128(5), 446-8 (2002).

Fenton, Gordon A.
Probabilistic Foundation Settlement on Spatially Random Soil. — Gordon A. Fenton and D. V. Griffiths; 128(5), 381-90 (2002).
Bearing Capacity of Rough Rigid Strip Footing on Cohesive Soil: Probabilistic Study. — D. V. Griffiths, Gordon A. Fenton, and N. Manoharan; 128(9), 743-55 (2002).

Finke, Kimberly A.
Closure to "Piezocone Penetration Testing in Atlantic Piedmont Residuum" by Kimberly A. Finke, Paul W. Mayne, and Rick A. Klopp. — Kimberly A. Finke and Paul W. Mayne; 128(5), 443-5 (2002).

Finno, Richard J.
Performance of a Stiff Support System in Soft Clay. — Richard J. Finno, Sebastian Bryson, and Michele Calvello; 128(8), 660-71 (2002).

Foose, Gary J.
Comparison of Solute Transport in Three Composite Liners. — Gary J. Foose, Craig H. Benson, and Tuncer B. Edil; 128(5), 391-403 (2002).
Transit-Time Design for Diffusion through Composite Liners. — Gary J. Foose; 128(7), 590-601 (2002).

Forth, R. A.
Settlement due to Diaphragm Wall Construction in Reclaimed Land in Hong Kong. — C. B. B. Thorley and R. A. Forth; 128(6), 473-8 (2002).

Fredlund, Delwyn G.
Closure to "Volume Change Behavior of Collapsible Compacted Gneiss Soil," by Jose H. F. Pereira and Delwyn G. Fredlund. — J. H. F. Pereira and Delwyn G. Fredlund; 128(2), 184-5 (2002).

Frost, J. D.
Evaluating Site Investigation Quality using *GIS* and Geostatistics. — R. L. Parsons and J. D. Frost; 128(6), 451-61 (2002).

Frydman, Sam
Three-Dimensional Analysis of Lateral Pile Response using Two-Dimensional Explicit Numerical Scheme. — Assaf Klar and Sam Frydman; 128(9), 775-84 (2002).

Fujita, Katsuhisa
Site Investigations for Involvement of Water Films in Lateral Flow in Liquefied Ground. — Takeji Kokusho and Katsuhisa Fujita; 128(11), 917-25 (2002).

Gabr, M. A.
Numerical Analysis of Geosynthetic-Reinforced and Pile-Supported Earth Platforms over Soft Soil. — J. Han and M. A. Gabr; 128(1), 44-53 (2002).

Gazetas, George
Kinematic Pile Response to Vertical P-wave Seismic Excitation. — George Mylonakis and George Gazetas; 128(10), 860-7 (2002).

Germaine, J. T.
Sampling Disturbance Effects in Normally Consolidated Clays. — M. C. Santagata and J. T. Germaine; 128(12), 997-1006 (2002).

Glasgow, L. A.
Effects of Ionic Strength on Fine Particle Clogging of Soil Filters. — M. G. Hajra, L. N. Reddi, L. A. Glasgow, M. Xiao, and I. M. Lee; 128(8), 631-9 (2002).

Goh, A. T. C.
Ultimate Soil Pressures for Piles Subjected to Lateral Soil Movements. — J. L. Pan, A. T. C. Goh, K. S. Wong, and C. I. Teh; 128(6), 530-5 (2002).

Gosine, Raymond G.
Water Flow in Unsaturated Soils in Microgravity Environment. — Abdel-Mohsen O. Mohamed, Hogan E. Antia, and Raymond G. Gosine; 128(10), 814-23 (2002).

Griffiths, D. V.
Probabilistic Foundation Settlement on Spatially Random Soil. — Gordon A. Fenton and D. V. Griffiths; 128(5), 381-90 (2002).
Bearing Capacity of Rough Rigid Strip Footing on Cohesive Soil: Probabilistic Study. — D. V. Griffiths, Gordon A. Fenton, and N. Manoharan; 128(9), 743-55 (2002).

Gui, M. W.
Instrumented Borehole Drilling for Subsurface Investigation. — M. W. Gui, K. Soga, M. D. Bolton, and J. P. Hamelin; 128(4), 283-91 (2002).

Gunnink, Brett
Capacity of Drilled Shafts in Burlington Limestone. — Brett Gunnink and Chad Kiehne; 128(7), 539-45 (2002).

Gupta, Ramesh C.
Discussion of "Piezocone Penetration Testing in Atlantic Piedmont Residuum" by Kimberly A. Finke, Paul W. Mayne, and Rick A. Klopp. — Ramesh C. Gupta; 128(5), 442-3 (2002).

Hagiwara, Toshiyuki
Base Stability of Circular Excavations in Soft Clay. — Fei Cai, Keizo Ugai, and Toshiyuki Hagiwara; 128(8), 702-6 (2002).

Hajra, M. G.
Effects of Ionic Strength on Fine Particle Clogging of Soil Filters. — M. G. Hajra, L. N. Reddi, L. A. Glasgow, M. Xiao, and I. M. Lee; 128(8), 631-9 (2002).

Hamelin, J. P.
Instrumented Borehole Drilling for Subsurface Investigation. — M. W. Gui, K. Soga, M. D. Bolton, and J. P. Hamelin; 128(4), 283-91 (2002).

Han, J.
Numerical Analysis of Geosynthetic-Reinforced and Pile-Supported Earth Platforms over Soft Soil. — J. Han and M. A. Gabr; 128(1), 44-53 (2002).

Handy, Richard L.
First-Order Rate Equations in Geotechnical Engineering. — Richard L. Handy; 128(5), 416-25 (2002).

Hansen, Corbett M.
Revised Multilinear Regression Equations for Prediction of Lateral Spread Displacement. — T. Leslie Youd, Corbett M. Hansen, and Steven F. Bartlett; 128(12), 1007-17 (2002).

Hanson, Gregory J.
Discussion of "Erosion Function Apparatus for Scour Rate Predictions" by J. L. Briaud, F. C. K. Ting, H. C. Chen, Y. Cao, S. W. Han, and K. W. Kwak. — Gregory J. Hanson and Andrew Simon; 128(7), 627-8 (2002).

Hashash, Youssef M. A.
Mechanisms of Load Transfer and Arching for Braced Excavations in Clay. — Youssef M. A. Hashash and Andrew J. Whittle; 128(3), 187-97 (2002).

Hassan, Khaled M.
Flexural Performance of Drilled Shafts with Minor Flaws in Stiff Clay. — Hazem A. Sarhan, Michael W. O'Neill, and Khaled M. Hassan; 128(12), 974-85 (2002).

Hassan, Waleed F.
Closure to "Global Search Method for Locating General Slip Surface Using Monte Carlo Techniques" by Abdallah I. Husein Malkawi, Waleed F. Hassan, and Sarada K. Sarma. — Abdallah I. Husein Malkawi, Waleed F. Hassan, and Sarada K. Sarma; 128(12), 1050 (2002).

Hegazy, Yasser A.
Objective Site Characterization Using Clustering of Piezocone Data. — Yasser A. Hegazy and Paul W. Mayne; 128(12), 986-96 (2002).

Heineck, Karla Salvagni
Closure to "Behavior of Compacted Soil-Fly Ash-Carbide Lime Mixtures" by Nilo Cesar Consoli, Pedro Domingos Marques Prietto, João Antônio Harb Carraro, and Karla Salvagni Heineck. — Nilo Cesar Consoli, Pedro Domingos Marques Prietto, João Antônio Harb Carraro, and Karla Salvagni Heineck; 128(12), 1047-8 (2002).

Hellmich, Christian
Hybrid Method for Analysis of Segmented Shotcrete Tunnel Linings. — Roman Lackner, Jürgen Macht, Christian Hellmich, and Herbert A. Mang; 128(4), 298-308 (2002).

Ho, Ying-Chieh
Passive Earth Pressure with Critical State Concept. — Yung-Show Fang, Ying-Chieh Ho, and Tsang-Jiang Chen; 128(8), 651-9 (2002).

Hossain, D.
Discussion of "Liquefaction Testing of Stratified Silty Sands" by F. Amini, M.ASCE and G. Q. Qi. — D. Hossain; 128(1), 95-6 (2002).

Houlsby, Guy T.
Experimental Investigations of Response of Suction Caissons to Transient Vertical Loading. — Byron W. Byrne and Guy T. Houlsby; 128(11), 926-39 (2002).

Hsieh, P. G.
Tied-Back Excavations in Alluvial Soil of Taipei. — H. J. Liao and P. G. Hsieh; 128(5), 435-41 (2002).

Hsieh, Yo-Ming
Interpretation of Pressuremeter Tests in Sand using Advanced Soil Model. — Yo-Ming Hsieh, Andrew J. Whittle, and Hai-Sui Yu; 128(3), 274-8 (2002).

Huang, Ching-Chuan
Generalized Method for Three-Dimensional Slope Stability Analysis. — Ching-Chuan Huang, Cheng-Chen Tsai, and Yu-Hong Chen; 128(10), 836-48 (2002).

Hughes, John
Undrained Anisotropic Monotonic Behavior of Sand from In Situ Tests. — Debasis Roy, Richard G. Campanella, Peter M. Byrne, and John Hughes; 128(1), 85-91 (2002).

Hunt, Christopher E.
Soil Deformation and Excess Pore Pressure Field around a Closed-Ended Pile. — Juan M. Pestana, Christopher E. Hunt, and Jonathan D. Bray; 128(1), 1-12 (2002).
Effect of Pile Driving on Static and Dynamic Properties of Soft Clay. — Christopher E. Hunt, Juan M. Pestana, Jonathan D. Bray, and Michael Riemer; 128(1), 13-24 (2002).

Husein Malkawi, Abdallah I.
Closure to "Global Search Method for Locating General Slip Surface Using Monte Carlo Techniques" by Abdallah I. Husein Malkawi, Waleed F. Hassan, and Sarada K. Sarma. — Abdallah I. Husein Malkawi, Waleed F. Hassan, and Sarada K. Sarma; 128(12), 1050 (2002).

Hutchinson, J.
Parameter Estimation in Finite Element Simulations of Rayleigh Waves. — A. Zerwer, G. Cascante, and J. Hutchinson; 128(3), 250-61 (2002).

Indraratna, Buddhima
Analysis of Critical Hydraulic Gradient for Particle Movement in Filtration. — Buddhima Indraratna and Sujeewa Radampola; 128(4), 347-50 (2002).

Iskander, Magued G.
Transparent Amorphous Silica to Model Clay. — Magued G. Iskander, Jinyuan Liu, and Samer Sadek; 128(3), 262-73 (2002).

Ismail, Mostafa A.
Effect of Cement Type on Shear Behavior of Cemented Calcareous Soil. — Mostafa A. Ismail, Hackmet A. Joer, Wee H. Sim, and Mark F. Randolph; 128(6), 520-9 (2002).

Ivanovic, Ana
Influence of Prestress on the Dynamic Response of Ground Anchorages. — Ana Ivanovic, Richard D. Neilson, and Albert A. Rodger; 128(3), 237-49 (2002).

Jaksa, Mark B.
Predicting Settlement of Shallow Foundations using Neural Networks. — Mohamed A. Shahin, Holger R. Maier, and Mark B. Jaksa; 128(9), 785-93 (2002).

Jarrett, J. Bradley
Behavior of Dilative Sand Interfaces in a Geotribology Framework. — Joseph E. Dove and J. Bradley Jarrett; 128(1), 25-37 (2002).

Jiang, Tao
Assessing Probability-based Methods for Liquefaction Potential Evaluation. — C. Hsein Juang, Tao Jiang, and Ronald D. Andrus; 128(7), 580-9 (2002).

Joer, Hackmet A.
Effect of Cement Type on Shear Behavior of Cemented Calcareous Soil. — Mostafa A. Ismail, Hackmet A. Joer, Wee H. Sim, and Mark F. Randolph; 128(6), 520-9 (2002).

Jones, Rollin C.
Influence of Amorphous Clay-Size Materials on Soil Plasticity and Shrink-Swell Behavior. — Yongshan Wan, James Kwong, Horst G. Brandes, and Rollin C. Jones; 128(12), 1026-31 (2002).

Juang, C. Hsein
Assessing Probability-based Methods for Liquefaction Potential Evaluation. — C. Hsein Juang, Tao Jiang, and Ronald D. Andrus; 128(7), 580-9 (2002).

Juvkam-Wold, Hans C.
Pile Driving Analysis for Top Hammering and Bottom Hammering. — Jonggeun Choe and Hans C. Juvkam-Wold; 128(2), 174-82 (2002).

Kayukawa, Kouji
Theoretical Model of Shield Behavior During Excavation. II: Application. — Aphichat Sramoon, Mitsutaka Sugimoto, and Kouji Kayukawa; 128(2), 156-65 (2002).

Kiehne, Chad
Capacity of Drilled Shafts in Burlington Limestone. — Brett Gunnink and Chad Kiehne; 128(7), 539-45 (2002).

Kim, John S.
Effect of Live Load Surcharge on Retaining Walls and Abutments. — John S. Kim and Richard M. Barker; 128(10), 803-13 (2002).

Kim, Jongmin
Stability Analysis of Complex Soil Slopes using Limit Analysis. — Jongmin Kim, Rodrigo Salgado, and Junhwan Lee; 128(7), 546-57 (2002).

Kiousis, Panos D.
Least-Squares Finite-Element Evaluation of Flow Nets. — Panos D. Kiousis; 128(8), 699-701 (2002).

Klar, Assaf
Three-Dimensional Analysis of Lateral Pile Response using Two-Dimensional Explicit Numerical Scheme. — Assaf Klar and Sam Frydman; 128(9), 775-84 (2002).

Kojima, Tetsuro
Mechanism for Postliquefaction Water Film Generation in Layered Sand. — Takeji Kokusho and Tetsuro Kojima; 128(2), 129-37 (2002).

Kokusho, Takeji
Mechanism for Postliquefaction Water Film Generation in Layered Sand. — Takeji Kokusho and Tetsuro Kojima; 128(2), 129-37 (2002).
Energy Dissipation in Surface Layer due to Vertically Propagating SH Wave. — Takeji Kokusho and Ryuichi Motoyama; 128(4), 309-18 (2002).
Site Investigations for Involvement of Water Films in Lateral Flow in Liquefied Ground. — Takeji Kokusho and Katsuhisa Fujita; 128(11), 917-25 (2002).

Krapac, Ivan G.
Long-Term Tritium Transport through Field-Scale Compacted Soil Liner. — Cécile Toupiol, Thomas W. Willingham, Albert J. Valocchi, Charles J. Werth, Ivan G. Krapac, Timothy D. Stark, and David E. Daniel; 128(8), 640-50 (2002).

Kulhawy, Fred H.
Closure to "Contribution to Piled Raft Foundation Design" by Widjojo A. Prakoso and Fred H. Kulhawy. — Widjojo A. Prakoso and Fred H. Kulhawy; 128(8), 709 (2002).

Kurup, Pradeep U.
Neural Networks for Profiling Stress History of Clays from PCPT Data. — Pradeep U. Kurup and Nitin K. Dudani; 128(7), 569-79 (2002).

Kwong, James
Influence of Amorphous Clay-Size Materials on Soil Plasticity and Shrink-Swell Behavior. — Yongshan Wan, James Kwong, Horst G. Brandes, and Rollin C. Jones; 128(12), 1026-31 (2002).

Labuz, J. F.
Field and Laboratory Testing of St. Peter Sandstone. — M. Dittes and J. F. Labuz; 128(5), 372-80 (2002).

Lackner, Roman
Hybrid Method for Analysis of Segmented Shotcrete Tunnel Linings. — Roman Lackner, Jürgen Macht, Christian Hellmich, and Herbert A. Mang; 128(4), 298-308 (2002).

Laguros, Joakim G.
Discussion of "Use of Class C Fly Ashes for the Stabilization of an Expansive Soil" by Erdal Çokça. — Joakim G. Laguros; 128(11), 965-6 (2002).

Lai, Timothy Y.
Propagation of Localization Instability Under Active and Passive Loading. — Ronaldo I. Borja and Timothy Y. Lai; 128(1), 64-75 (2002).

Lancellotta, Renato
Yielding from Field Behavior and its Influence on Oil Tank Settlements. — Riccardo Berardi and Renato Lancellotta; 128(5), 404-15 (2002).

Lee, C. F.
Runout Analysis of Slurry Flows with Bingham Model. — H. Chen and C. F. Lee; 128(12), 1032-42 (2002).

Lee, Fook-Hou
Effect of Sampling Disturbance on Properties of Singapore Clay. — Thiam-Soon Tan, Fook-Hou Lee, Poh-Ting Chong, and Hiroyuki Tanaka; 128(11), 898-906 (2002).

Lee, I. M.
Effects of Ionic Strength on Fine Particle Clogging of Soil Filters. — M. G. Hajra, L. N. Reddi, L. A. Glasgow, M. Xiao, and I. M. Lee; 128(8), 631-9 (2002).

Lee, Junhwan
Stability Analysis of Complex Soil Slopes using Limit Analysis. — Jongmin Kim, Rodrigo Salgado, and Junhwan Lee; 128(7), 546-57 (2002).

Lee, Seung Rae
Evaluation of Decomposition Effect on Long-Term Settlement Prediction for Fresh Municipal Solid Waste Landfills. — Hyun Il Park, Seung Rae Lee, and Nam Young Do; 128(2), 107-18 (2002).
Evaluation of Surficial Stability for Homogeneous Slopes Considering Rainfall Characteristics. — Sung Eun Cho and Seung Rae Lee; 128(9), 756-63 (2002).

Lehane, B. M.
Evaluation of a Minimum Base Resistance for Driven Pipe Piles in Siliceous Sand. — B. M. Lehane and Mark F. Randolph; 128(3), 198-205 (2002).

Leung, C. F.
Closure to "Behavior of Pile Subject to Excavation-Induced Soil Movement" by C. F. Leung, Y. K. Chow, and R. F. Shen. — C. F. Leung, Y. K. Chow, and R. F. Shen; 128(3), 280-2 (2002).

Li, Allen Lunzhu
Some Design Considerations for Embankments on Rate Sensitive Soils. — Allen Lunzhu Li and R. Kerry Rowe; 128(11), 885-97 (2002).

Li, Jonathan H. M.
Closure to "New Failure Load Criterion for Large Diameter Bored Piles in Weathered Geomaterials" by Charles W. W. Ng, Terence L. Y. Yau, Jonathan H. M. Li, and Wilson H. Tang. — Charles W. W. Ng, Terence L. Y. Yau, Jonathan H. M. Li, and Wilson H. Tang; 128(10), 882-3 (2002).

Li, Tao
Two-Surface Plasticity Model for Cyclic Undrained Behavior of Clays. — Tao Li and Helmut Meissner; 128(7), 613-26 (2002).

Li, Xiang Song
Constitutive Modeling of Inherently Anisotropic Sand Behavior. — Xiang Song Li and Yannis F. Dafalias; 128(10), 868-80 (2002).

Li, Xiang-Song
State Pressure Index for Modeling Sand Behavior. — Zhi-Liang Wang, Yannis F. Dafalias, Xiang-Song Li, and Faiz I. Makdisi; 128(6), 511-9 (2002).

Liang, J.
Undrained Fragility of Clean Sands, Silty Sands, and Sandy Silts. — S. Thevanayagam, T. Shenthan, S. Mohan, and J. Liang; 128(10), 849-59 (2002).

Liao, H. J.
Influence of Strength Anisotropy on Piezocone Resistance in Clay. — S. F. Su and H. J. Liao; 128(2), 166-73 (2002).
Tied-Back Excavations in Alluvial Soil of Taipei. — H. J. Liao and P. G. Hsieh; 128(5), 435-41 (2002).

Lin, Chao-Hua
Ground Response in Lotung: Total Stress Analyses and Parametric Studies. — Ronaldo I. Borja, Blaise G. Duvernay, and Chao-Hua Lin; 128(1), 54-63 (2002).

Liu, Jinyuan
Transparent Amorphous Silica to Model Clay. — Magued G. Iskander, Jinyuan Liu, and Samer Sadek; 128(3), 262-73 (2002).

Long, Michael
Closure to "Database for Retaining Wall and Ground Movements due to Deep Excavations" by Michael Long. — Michael Long; 128(6), 536-7 (2002).

Machado, Sandro L.
Constitutive Model for Municipal Solid Waste. — Sandro L. Machado, Miriam F. Carvalho, and Orencio M. Vilar; 128(11), 940-51 (2002).

Macht, Jürgen
Hybrid Method for Analysis of Segmented Shotcrete Tunnel Linings. — Roman Lackner, Jürgen Macht, Christian Hellmich, and Herbert A. Mang; 128(4), 298-308 (2002).

Maier, Holger R.
Predicting Settlement of Shallow Foundations using Neural Networks. — Mohamed A. Shahin, Holger R. Maier, and Mark B. Jaksa; 128(9), 785-93 (2002).

Makdisi, Faiz I.
State Pressure Index for Modeling Sand Behavior. — Zhi-Liang Wang, Yannis F. Dafalias, Xiang-Song Li, and Faiz I. Makdisi; 128(6), 511-9 (2002).

Malusis, Michael A.
Chemico-Osmotic Efficiency of a Geosynthetic Clay Liner. — Michael A. Malusis and Charles D. Shackelford; 128(2), 97-106 (2002).

Mang, Herbert A.
Hybrid Method for Analysis of Segmented Shotcrete Tunnel Linings. — Roman Lackner, Jürgen Macht, Christian Hellmich, and Herbert A. Mang; 128(4), 298-308 (2002).

Manoharan, N.
Bearing Capacity of Rough Rigid Strip Footing on Cohesive Soil: Probabilistic Study. — D. V. Griffiths, Gordon A. Fenton, and N. Manoharan; 128(9), 743-55 (2002).

Mansur, Charles I.
Dewatering Cofferdam for Construction of Olmsted Locks. — Charles I. Mansur and Stephen G. Durrett; 128(6), 496-510 (2002).

Markou, I. N.
Properties and Performance of a Pulverized Fly Ash Grout. — I. N. Markou and D. K. Atmatzidis; 128(8), 682-91 (2002).

Maugeri, Michele
Simplified Nonlinear Analysis for Settlement Prediction of Pile Groups. — Francesco Castelli and Michele Maugeri; 128(1), 76-84 (2002).

Mayne, Paul W.
Closure to "Piezocone Penetration Testing in Atlantic Piedmont Residuum" by Kimberly A. Finke, Paul W. Mayne, and Rick A. Klopp. — Kimberly A. Finke and Paul W. Mayne; 128(5), 443-5 (2002).
Discussion of "Side Resistance in Piles and Drilled Shafts" by Michael W. O'Neill. — Amr F. Elhakim and Paul W. Mayne; 128(5), 448-9 (2002).
Objective Site Characterization Using Clustering of Piezocone Data. — Yasser A. Hegazy and Paul W. Mayne; 128(12), 986-96 (2002).

Meissner, Helmut
Two-Surface Plasticity Model for Cyclic Undrained Behavior of Clays. — Tao Li and Helmut Meissner; 128(7), 613-26 (2002).

Merayyan, S.
Impact of Soil Type and Compaction Conditions on Soil Water Characteristic. — C. J. Miller, N. Yesiller, K. Yaldo, and S. Merayyan; 128(9), 733-42 (2002).

Michalowski, Radoslaw L.
Stability Charts for Uniform Slopes. — Radoslaw L. Michalowski; 128(4), 351-5 (2002).

Miller, C. J.
Impact of Soil Type and Compaction Conditions on Soil Water Characteristic. — C. J. Miller, N. Yesiller, K. Yaldo, and S. Merayyan; 128(9), 733-42 (2002).

Miura, N.
Traffic-Load-Induced Permanent Deformation of Road on Soft Subsoil. — Jin-Chun Chai and N. Miura; 128(11), 907-16 (2002).

Mohamed, Abdel-Mohsen O.
Water Flow in Unsaturated Soils in Microgravity Environment. — Abdel-Mohsen O. Mohamed, Hogan E. Antia, and Raymond G. Gosine; 128(10), 814-23 (2002).

Mohan, S.
Undrained Fragility of Clean Sands, Silty Sands, and Sandy Silts. — S. Thevanayagam, T. Shenthan, S. Mohan, and J. Liang; 128(10), 849-59 (2002).

Montardo, Júlio Portella
Engineering Behavior of a Sand Reinforced with Plastic Waste. — Nilo Cesar Consoli, Júlio Portella Montardo, Pedro Domingos Marques Prietto, and Giovana Savitri Pasa; 128(6), 462-72 (2002).

Moriwaki, Yoshi
Discussion of "1907 Static Liquefaction Flow Failure of North Dike of Wachusett Dam" by Scott M. Olson, Timothy D. Stark, William H. Walton, and Gonzalo Castro. — Yoshi Moriwaki, Phalkun Tan, Raymond B. Seed, and Richard R. Davidson; 128(9), 800 (2002).

Morris, P. H.
Analytical Solutions of Linear Finite-Strain One-Dimensional Consolidation. — P. H. Morris; 128(4), 319-26 (2002).

Motoyama, Ryuichi
Energy Dissipation in Surface Layer due to Vertically Propagating SH Wave. — Takeji Kokusho and Ryuichi Motoyama; 128(4), 309-18 (2002).

Murdoch, Lawrence C.
Forms of Hydraulic Fractures in Shallow Fine-Grained Formations. — Lawrence C. Murdoch and William W. Slack; 128(6), 479-87 (2002).
Mechanical Analysis of Idealized Shallow Hydraulic Fracture. — Lawrence C. Murdoch; 128(6), 488-95 (2002).

Mylonakis, George
Kinematic Pile Response to Vertical P-wave Seismic Excitation. — George Mylonakis and George Gazetas; 128(10), 860-7 (2002).

Nagaraj, T. S.
Discussion of "Pore Fluid Properties and Compressibility of Kaolinite" by J. Chen, A. Anandarajah, and H. Inyang. — T. S. Nagaraj; 128(4), 360-2 (2002).

Neilson, Richard D.
Influence of Prestress on the Dynamic Response of Ground Anchorages. — Ana Ivanovic, Richard D. Neilson, and Albert A. Rodger; 128(3), 237-49 (2002).

Ng, Charles W. W.
Closure to "New Failure Load Criterion for Large Diameter Bored Piles in Weathered Geomaterials" by Charles W. W. Ng, Terence L. Y. Yau, Jonathan H. M. Li, and Wilson H. Tang. — Charles W. W. Ng, Terence L. Y. Yau, Jonathan H. M. Li, and Wilson H. Tang; 128(10), 882-3 (2002).
Closure to "Response of Laterally Loaded Large-Diameter Bored Pile Groups" by Charles W. W. Ng, Limin Zhang, and Dora C. N. Nip. — Charles W. W. Ng, Limin Zhang, and Dora C. N. Nip; 128(11), 964-5 (2002).

Nip, Dora C. N.
Closure to "Response of Laterally Loaded Large-Diameter Bored Pile Groups" by Charles W. W. Ng, Limin Zhang, and Dora C. N. Nip. — Charles W. W. Ng, Limin Zhang, and Dora C. N. Nip; 128(11), 964-5 (2002).

Nwaiwu, C. M. O.
Discussion of "Behavior of Compacted Soil-Fly Ash-Carbide Lime Mixtures" by Nilo Cesar Consoli, Pedro Domingos Marques Prietto, João Antônio Harb Carraro, and Karla Salvagni Heineck. — C. M. O. Nwaiwu and K. J. Osinubi; 128(12), 1046-7 (2002).

Nwaiwu, Charles M. O.
Discussion of "Effect of Desiccation on Compacted Natural Clays" by Brian A. Albrecht and Craig H. Benson. — Charles M. O. Nwaiwu and Kolawole J. Osinubi; 128(4), 356-7 (2002).

Olson, Scott M.
Closure to "1907 Static Liquefaction Flow Failure of the North Dike of Wachusett Dam" by Scott M. Olson, Timothy D. Stark, William H. Walton, and Gonzalo Castro. — Scott M. Olson, Timothy D. Stark, William H. Walton, and Gonzalo Castro; 128(9), 801 (2002).

O'Neill, Michael W.
Closure to "Side Resistance in Piles and Drilled Shafts" by Michael W. O'Neill. — Michael W. O'Neill; 128(5), 450 (2002).
Flexural Performance of Drilled Shafts with Minor Flaws in Stiff Clay. — Hazem A. Sarhan, Michael W. O'Neill, and Khaled M. Hassan; 128(12), 974-85 (2002).

Osinubi, K. J.
Discussion of "Behavior of Compacted Soil-Fly Ash-Carbide Lime Mixtures" by Nilo Cesar Consoli, Pedro Domingos Marques Prietto, João Antônio Harb Carraro, and Karla Salvagni Heineck. — C. M. O. Nwaiwu and K. J. Osinubi; 128(12), 1046-7 (2002).

Osinubi, Kolawole J.
Discussion of "Effect of Desiccation on Compacted Natural Clays" by Brian A. Albrecht and Craig H. Benson. — Charles M. O. Nwaiwu and Kolawole J. Osinubi; 128(4), 356-7 (2002).

Pan, J. L.
Ultimate Soil Pressures for Piles Subjected to Lateral Soil Movements. — J. L. Pan, A. T. C. Goh, K. S. Wong, and C. I. Teh; 128(6), 530-5 (2002).

Park, Hyun Il
Evaluation of Decomposition Effect on Long-Term Settlement Prediction for Fresh Municipal Solid Waste Landfills. — Hyun Il Park, Seung Rae Lee, and Nam Young Do; 128(2), 107-18 (2002).

Parlange, J.-Y.
Preferential Flow of a Nonaqueous Phase Liquid in Dry Sand. — P. J. Culligan, K. Banno, D. A. Barry, T. S. Steenhuis, and J.-Y. Parlange; 128(4), 327-37 (2002).

Parreira, Alexandre B.
Numerical Analysis of a Tunnel in Residual Soils. — Roberto F. Azevedo, Alexandre B. Parreira, and Jorge G. Zornberg; 128(3), 227-36 (2002).

Parsons, R. L.
Evaluating Site Investigation Quality using *GIS* and Geostatistics. — R. L. Parsons and J. D. Frost; 128(6), 451-61 (2002).

Paruvakat, Nandakumaran
Discussion of "Effect of Desiccation on Compacted Natural Clays" by Brian A. Albrecht and Craig H. Benson. — Nandakumaran Paruvakat; 128(4), 356 (2002).

Pasa, Giovana Savitri
Engineering Behavior of a Sand Reinforced with Plastic Waste. — Nilo Cesar Consoli, Júlio Portella Montardo, Pedro Domingos Marques Prietto, and Giovana Savitri Pasa; 128(6), 462-72 (2002).

Pereira, J. H. F.
Closure to "Volume Change Behavior of Collapsible Compacted Gneiss Soil," by Jose H. F. Pereira and Delwyn G. Fredlund. — J. H. F. Pereira and Delwyn G. Fredlund; 128(2), 184-5 (2002).

Pestana, Juan M.
Soil Deformation and Excess Pore Pressure Field around a Closed-Ended Pile. — Juan M. Pestana, Christopher E. Hunt, and Jonathan D. Bray; 128(1), 1-12 (2002).
Effect of Pile Driving on Static and Dynamic Properties of Soft Clay. — Christopher E. Hunt, Juan M. Pestana, Jonathan D. Bray, and Michael Riemer; 128(1), 13-24 (2002).

Poulos, H. G.
Discussion of "Behavior of Pile Subject to Excavation-Induced Soil Movement" by C. F. Leung, Y. K. Chow, and R. F. Shen. — L. T. Chen and H. G. Poulos; 128(3), 279-80 (2002).

Prakoso, Widjojo A.
Closure to "Contribution to Piled Raft Foundation Design" by Widjojo A. Prakoso and Fred H. Kulhawy. — Widjojo A. Prakoso and Fred H. Kulhawy; 128(8), 709 (2002).

Prietto, Pedro Domingos Marques
Engineering Behavior of a Sand Reinforced with Plastic Waste. — Nilo Cesar Consoli, Júlio Portella Montardo, Pedro Domingos Marques Prietto, and Giovana Savitri Pasa; 128(6), 462-72 (2002).
Closure to "Behavior of Compacted Soil-Fly Ash-Carbide Lime Mixtures" by Nilo Cesar Consoli, Pedro Domingos Marques Prietto, João Antônio Harb Carraro, and Karla Salvagni Heineck. — Nilo Cesar Consoli, Pedro Domingos Marques Prietto, João Antônio Harb Carraro, and Karla Salvagni Heineck; 128(12), 1047-8 (2002).

Qin, Ran
Discussion of "New Failure Load Criterion for Large Diameter Bored Piles in Weathered Geomaterials" by Charles W. W. Ng, Terence L. Y. Yau, Jonathan H. M. Li, and Wilson H. Tang. — Ran Qin and Ping Dong; 128(10), 881-2 (2002).

Radampola, Sujeewa
Analysis of Critical Hydraulic Gradient for Particle Movement in Filtration. — Buddhima Indraratna and Sujeewa Radampola; 128(4), 347-50 (2002).

Rager, Ronald E.
Protective Layer Design in Landfill Covers based on Frost Penetration. — Gregory M. Smith and Ronald E. Rager; 128(9), 794-9 (2002).

Randolph, Mark F.
Evaluation of a Minimum Base Resistance for Driven Pipe Piles in Siliceous Sand. — B. M. Lehane and Mark F. Randolph; 128(3), 198-205 (2002).
Modeling of Shallowly Embedded Offshore Pipelines in Calcareous Sand. — Jianguo Zhang, Douglas P. Stewart, and Mark F. Randolph; 128(5), 363-71 (2002).
Effect of Cement Type on Shear Behavior of Cemented Calcareous Soil. — Mostafa A. Ismail, Hackmet A. Joer, Wee H. Sim, and Mark F. Randolph; 128(6), 520-9 (2002).

Reddi, L. N.
Effects of Ionic Strength on Fine Particle Clogging of Soil Filters. — M. G. Hajra, L. N. Reddi, L. A. Glasgow, M. Xiao, and I. M. Lee; 128(8), 631-9 (2002).

Richwien, Werner
A Study of Soil-Reinforcement Interface Friction. — Zhenggui Wang and Werner Richwien; 128(1), 92-4 (2002).

Riemer, Michael
Effect of Pile Driving on Static and Dynamic Properties of Soft Clay. — Christopher E. Hunt, Juan M. Pestana, Jonathan D. Bray, and Michael Riemer; 128(1), 13-24 (2002).

Rinaldi, Victor A.
Ohmic Conductivity of a Compacted Silty Clay. — Victor A. Rinaldi and German A. Cuestas; 128(10), 824-35 (2002).

Rodger, Albert A.
Influence of Prestress on the Dynamic Response of Ground Anchorages. — Ana Ivanovic, Richard D. Neilson, and Albert A. Rodger; 128(3), 237-49 (2002).

Rodríguez-Roa, Fernando
Ground Subsidence due to a Shallow Tunnel in Dense Sandy Gravel. — Fernando Rodríguez-Roa; 128(5), 426-34 (2002).

Rollins, Kyle M.
Lateral Resistance of Full-Scale Pile Cap with Gravel Backfill. — Kyle M. Rollins and Andrew Sparks; 128(9), 711-23 (2002).

Rowe, R. Kerry
Some Design Considerations for Embankments on Rate Sensitive Soils. — Allen Lunzhu Li and R. Kerry Rowe; 128(11), 885-97 (2002).

Roy, Debasis
Undrained Anisotropic Monotonic Behavior of Sand from In Situ Tests. — Debasis Roy, Richard G. Campanella, Peter M. Byrne, and John Hughes; 128(1), 85-91 (2002).

Russo, Gianpiero
Discussion of "Contribution to Piled Raft Foundation Design" by Widjojo A. Prakoso and Fred H. Kulhawy. — Luca de Sanctis and Gianpiero Russo; 128(8), 707-8 (2002).

Sadek, Samer
Transparent Amorphous Silica to Model Clay. — Magued G. Iskander, Jinyuan Liu, and Samer Sadek; 128(3), 262-73 (2002).

Salgado, Rodrigo
Stability Analysis of Complex Soil Slopes using Limit Analysis. — Jongmin Kim, Rodrigo Salgado, and Junhwan Lee; 128(7), 546-57 (2002).

Salib, Sameh R.
Minimum Depth of Soil Cover above Soil–Steel Bridges. — George Abdel-Sayed and Sameh R. Salib; 128(8), 672-81 (2002).

Santagata, M. C.
Sampling Disturbance Effects in Normally Consolidated Clays. — M. C. Santagata and J. T. Germaine; 128(12), 997-1006 (2002).

Santamarina, J. Carlos
Dynamic Coupling Effects in Frictional Geomaterials—Stochastic Resonance. — Yu-Hsing Wang and J. Carlos Santamarina; 128(11), 952-62 (2002).

Santoni, Rosa L.
Closure to "Engineering Properties of Sand-Fiber Mixtures for Road Construction" by Rosa L. Santoni, Jeb S. Tingle, and Steve L. Webster. — Rosa L. Santoni, Jeb S. Tingle, and Steve L. Webster; 128(6), 537-8 (2002).

Sarhan, Hazem A.
Flexural Performance of Drilled Shafts with Minor Flaws in Stiff Clay. — Hazem A. Sarhan, Michael W. O'Neill, and Khaled M. Hassan; 128(12), 974-85 (2002).

Sarma, Sarada K.
Closure to "Global Search Method for Locating General Slip Surface Using Monte Carlo Techniques" by Abdallah I. Husein Malkawi, Waleed F. Hassan, and Sarada K. Sarma. — Abdallah I. Husein Malkawi, Waleed F. Hassan, and Sarada K. Sarma; 128(12), 1050 (2002).

Schmieg, H.
Transmission of Shear Forces in Sheet Pile Interlocks. — H. Schmieg and P. Vielsack; 128(4), 292-7 (2002).

Seed, Raymond B.
Discussion of "1907 Static Liquefaction Flow Failure of North Dike of Wachusett Dam" by Scott M. Olson, Timothy D. Stark, William H. Walton, and Gonzalo Castro. — Yoshi Moriwaki, Phalkun Tan, Raymond B. Seed, and Richard R. Davidson; 128(9), 800 (2002).

Shackelford, Charles D.
Chemico-Osmotic Efficiency of a Geosynthetic Clay Liner. — Michael A. Malusis and Charles D. Shackelford; 128(2), 97-106 (2002).

Shahin, Mohamed A.
Predicting Settlement of Shallow Foundations using Neural Networks. — Mohamed A. Shahin, Holger R. Maier, and Mark B. Jaksa; 128(9), 785-93 (2002).

Shen, R. F.
Closure to "Behavior of Pile Subject to Excavation-Induced Soil Movement" by C. F. Leung, Y. K. Chow, and R. F. Shen. — C. F. Leung, Y. K. Chow, and R. F. Shen; 128(3), 280-2 (2002).

Shen, W. Y.
Practical Solution for Group Stiffness Analysis of Piles. — W. Y. Shen and C. I. Teh; 128(8), 692-8 (2002).

Shenthan, T.
Undrained Fragility of Clean Sands, Silty Sands, and Sandy Silts. — S. Thevanayagam, T. Shenthan, S. Mohan, and J. Liang; 128(10), 849-59 (2002).

Sim, Wee H.
Effect of Cement Type on Shear Behavior of Cemented Calcareous Soil. — Mostafa A. Ismail, Hackmet A. Joer, Wee H. Sim, and Mark F. Randolph; 128(6), 520-9 (2002).

Simon, Andrew
Discussion of "Erosion Function Apparatus for Scour Rate Predictions" by J. L. Briaud, F. C. K. Ting, H. C. Chen, Y. Cao, S. W. Han, and K. W. Kwak. — Gregory J. Hanson and Andrew Simon; 128(7), 627-8 (2002).

Sitar, Nicholas
Simplified Method for Evaluating Seismic Stability of Steep Slopes. — Scott A. Ashford and Nicholas Sitar; 128(2), 119-28 (2002).

Slack, William W.
Forms of Hydraulic Fractures in Shallow Fine-Grained Formations. — Lawrence C. Murdoch and William W. Slack; 128(6), 479-87 (2002).

Smith, Gregory M.
Protective Layer Design in Landfill Covers based on Frost Penetration. — Gregory M. Smith and Ronald E. Rager; 128(9), 794-9 (2002).

Sobhan, Khaled
Discussion of "Engineering Properties of Sand-Fiber Mixtures for Road Construction" by Rosa L. Santoni, Jeb S. Tingle, and Steve L. Webster. — Khaled Sobhan; 128(6), 537 (2002).

Soga, K.
Instrumented Borehole Drilling for Subsurface Investigation. — M. W. Gui, K. Soga, M. D. Bolton, and J. P. Hamelin; 128(4), 283-91 (2002).

Sparks, Andrew
Lateral Resistance of Full-Scale Pile Cap with Gravel Backfill. — Kyle M. Rollins and Andrew Sparks; 128(9), 711-23 (2002).

Sramoon, Aphichat
Theoretical Model of Shield Behavior During Excavation. I: Theory. — Mitsutaka Sugimoto and Aphichat Sramoon; 128(2), 138-55 (2002).
Theoretical Model of Shield Behavior During Excavation. II: Application. — Aphichat Sramoon, Mitsutaka Sugimoto, and Kouji Kayukawa; 128(2), 156-65 (2002).

Stark, Timothy D.
Long-Term Tritium Transport through Field-Scale Compacted Soil Liner. — Cécile Toupiol, Thomas W. Willingham, Albert J. Valocchi, Charles J. Werth, Ivan G. Krapac, Timothy D. Stark, and David E. Daniel; 128(8), 640-50 (2002).
Closure to "1907 Static Liquefaction Flow Failure of the North Dike of Wachusett Dam" by Scott M. Olson, Timothy D. Stark, William H. Walton, and Gonzalo Castro. — Scott M. Olson, Timothy D. Stark, William H. Walton, and Gonzalo Castro; 128(9), 801 (2002).

Steenhuis, T. S.
Preferential Flow of a Nonaqueous Phase Liquid in Dry Sand. — P. J. Culligan, K. Banno, D. A. Barry, T. S. Steenhuis, and J.-Y. Parlange; 128(4), 327-37 (2002).

Stewart, Douglas P.
Modeling of Shallowly Embedded Offshore Pipelines in Calcareous Sand. — Jianguo Zhang, Douglas P. Stewart, and Mark F. Randolph; 128(5), 363-71 (2002).

Su, S. F.
Influence of Strength Anisotropy on Piezocone Resistance in Clay. — S. F. Su and H. J. Liao; 128(2), 166-73 (2002).

Sugimoto, Mitsutaka
Theoretical Model of Shield Behavior During Excavation. I: Theory. — Mitsutaka Sugimoto and Aphichat Sramoon; 128(2), 138-55 (2002).
Theoretical Model of Shield Behavior During Excavation. II: Application. — Aphichat Sramoon, Mitsutaka Sugimoto, and Kouji Kayukawa; 128(2), 156-65 (2002).

Svinkin, Mark R.
Predicting Soil and Structure Vibrations from Impact Machines. — Mark R. Svinkin; 128(7), 602-12 (2002).

Tan, Phalkun
Discussion of "1907 Static Liquefaction Flow Failure of North Dike of Wachusett Dam" by Scott M. Olson, Timothy D. Stark, William H. Walton, and Gonzalo Castro. — Yoshi Moriwaki, Phalkun Tan, Raymond B. Seed, and Richard R. Davidson; 128(9), 800 (2002).

Tan, Thiam-Soon
Effect of Sampling Disturbance on Properties of Singapore Clay. — Thiam-Soon Tan, Fook-Hou Lee, Poh-Ting Chong, and Hiroyuki Tanaka; 128(11), 898-906 (2002).

Tanaka, Hiroyuki
Effect of Sampling Disturbance on Properties of Singapore Clay. — Thiam-Soon Tan, Fook-Hou Lee, Poh-Ting Chong, and Hiroyuki Tanaka; 128(11), 898-906 (2002).

Tang, Wilson H.
Closure to "New Failure Load Criterion for Large Diameter Bored Piles in Weathered Geomaterials" by Charles W. W. Ng, Terence L. Y. Yau, Jonathan H. M. Li, and Wilson H. Tang. — Charles W. W. Ng, Terence L. Y. Yau, Jonathan H. M. Li, and Wilson H. Tang; 128(10), 882-3 (2002).

Teh, C. I.
Ultimate Soil Pressures for Piles Subjected to Lateral Soil Movements. — J. L. Pan, A. T. C. Goh, K. S. Wong, and C. I. Teh; 128(6), 530-5 (2002).
Practical Solution for Group Stiffness Analysis of Piles. — W. Y. Shen and C. I. Teh; 128(8), 692-8 (2002).

Thevanayagam, S.
Undrained Fragility of Clean Sands, Silty Sands, and Sandy Silts. — S. Thevanayagam, T. Shenthan, S. Mohan, and J. Liang; 128(10), 849-59 (2002).

Thorley, C. B. B.
Settlement due to Diaphragm Wall Construction in Reclaimed Land in Hong Kong. — C. B. B. Thorley and R. A. Forth; 128(6), 473-8 (2002).

Tingle, Jeb S.
Closure to "Engineering Properties of Sand-Fiber Mixtures for Road Construction" by Rosa L. Santoni, Jeb S. Tingle, and Steve L. Webster. — Rosa L. Santoni, Jeb S. Tingle, and Steve L. Webster; 128(6), 537-8 (2002).

Toupiol, Cécile
Long-Term Tritium Transport through Field-Scale Compacted Soil Liner. — Cécile Toupiol, Thomas W. Willingham, Albert J. Valocchi, Charles J. Werth, Ivan G. Krapac, Timothy D. Stark, and David E. Daniel; 128(8), 640-50 (2002).

Tsai, Cheng-Chen
Generalized Method for Three-Dimensional Slope Stability Analysis. — Ching-Chuan Huang, Cheng-Chen Tsai, and Yu-Hong Chen; 128(10), 836-48 (2002).

Tsuchida, Takashi
Undrained Shear Strength of Pleistocene Clay in Osaka Bay. — Yoichi Watabe, Takashi Tsuchida, and Kakuichiro Adachi; 128(3), 216-26 (2002).

Ugai, Keizo
Base Stability of Circular Excavations in Soft Clay. — Fei Cai, Keizo Ugai, and Toshiyuki Hagiwara; 128(8), 702-6 (2002).

Urzua, Alfredo
Limits on a Common Approximation for Layered Consolidation Analysis. — Alfredo Urzua and John T. Christian; 128(12), 1043-5 (2002).

Valocchi, Albert J.
Long-Term Tritium Transport through Field-Scale Compacted Soil Liner. — Cécile Toupiol, Thomas W. Willingham, Albert J. Valocchi, Charles J. Werth, Ivan G. Krapac, Timothy D. Stark, and David E. Daniel; 128(8), 640-50 (2002).

Vielsack, P.
Transmission of Shear Forces in Sheet Pile Interlocks. — H. Schmieg and P. Vielsack; 128(4), 292-7 (2002).

Vilar, Orencio M.
Constitutive Model for Municipal Solid Waste. — Sandro L. Machado, Miriam F. Carvalho, and Orencio M. Vilar; 128(11), 940-51 (2002).

Walton, William H.
Closure to "1907 Static Liquefaction Flow Failure of the North Dike of Wachusett Dam" by Scott M. Olson, Timothy D. Stark, William H. Walton, and Gonzalo Castro. — Scott M. Olson, Timothy D. Stark, William H. Walton, and Gonzalo Castro; 128(9), 801 (2002).

Wan, Yongshan
Influence of Amorphous Clay-Size Materials on Soil Plasticity and Shrink-Swell Behavior. — Yongshan Wan, James Kwong, Horst G. Brandes, and Rollin C. Jones; 128(12), 1026-31 (2002).

Wang, Yu-Hsing
Dynamic Coupling Effects in Frictional Geomaterials—Stochastic Resonance. — Yu-Hsing Wang and J. Carlos Santamarina; 128(11), 952-62 (2002).

Wang, Zhenggui
A Study of Soil-Reinforcement Interface Friction. — Zhenggui Wang and Werner Richwien; 128(1), 92-4 (2002).

Wang, Zhi-Liang
State Pressure Index for Modeling Sand Behavior. — Zhi-Liang Wang, Yannis F. Dafalias, Xiang-Song Li, and Faiz I. Makdisi; 128(6), 511-9 (2002).

Watabe, Yoichi
Undrained Shear Strength of Pleistocene Clay in Osaka Bay. — Yoichi Watabe, Takashi Tsuchida, and Kakuichiro Adachi; 128(3), 216-26 (2002).

Webster, Steve L.
Closure to "Engineering Properties of Sand-Fiber Mixtures for Road Construction" by Rosa L. Santoni, Jeb S. Tingle, and Steve L. Webster. — Rosa L. Santoni, Jeb S. Tingle, and Steve L. Webster; 128(6), 537-8 (2002).

Werth, Charles J.
Long-Term Tritium Transport through Field-Scale Compacted Soil Liner. — Cécile Toupiol, Thomas W. Willingham, Albert J. Valocchi, Charles J. Werth, Ivan G. Krapac, Timothy D. Stark, and David E. Daniel; 128(8), 640-50 (2002).

Whittle, Andrew J.
Mechanisms of Load Transfer and Arching for Braced Excavations in Clay. — Youssef M. A. Hashash and Andrew J. Whittle; 128(3), 187-97 (2002).
Interpretation of Pressuremeter Tests in Sand using Advanced Soil Model. — Yo-Ming Hsieh, Andrew J. Whittle, and Hai-Sui Yu; 128(3), 274-8 (2002).

Willingham, Thomas W.
Long-Term Tritium Transport through Field-Scale Compacted Soil Liner. — Cécile Toupiol, Thomas W. Willingham, Albert J. Valocchi, Charles J. Werth, Ivan G. Krapac, Timothy D. Stark, and David E. Daniel; 128(8), 640-50 (2002).

Wong, K. S.
Ultimate Soil Pressures for Piles Subjected to Lateral Soil Movements. — J. L. Pan, A. T. C. Goh, K. S. Wong, and C. I. Teh; 128(6), 530-5 (2002).

Xiao, M.
Effects of Ionic Strength on Fine Particle Clogging of Soil Filters. — M. G. Hajra, L. N. Reddi, L. A. Glasgow, M. Xiao, and I. M. Lee; 128(8), 631-9 (2002).

Yaldo, K.
Impact of Soil Type and Compaction Conditions on Soil Water Characteristic. — C. J. Miller, N. Yesiller, K. Yaldo, and S. Merayyan; 128(9), 733-42 (2002).

Yau, Terence L. Y.
Closure to "New Failure Load Criterion for Large Diameter Bored Piles in Weathered Geomaterials" by Charles W. W. Ng, Terence L. Y. Yau, Jonathan H. M. Li, and Wilson H. Tang. — Charles W. W. Ng, Terence L. Y. Yau, Jonathan H. M. Li, and Wilson H. Tang; 128(10), 882-3 (2002).

Yesiller, N.
Impact of Soil Type and Compaction Conditions on Soil Water Characteristic. — C. J. Miller, N. Yesiller, K. Yaldo, and S. Merayyan; 128(9), 733-42 (2002).

Youd, T. Leslie
Revised Multilinear Regression Equations for Prediction of Lateral Spread Displacement. — T. Leslie Youd, Corbett M. Hansen, and Steven F. Bartlett; 128(12), 1007-17 (2002).

Yu, Hai-Sui
Interpretation of Pressuremeter Tests in Sand using Advanced Soil Model. — Yo-Ming Hsieh, Andrew J. Whittle, and Hai-Sui Yu; 128(3), 274-8 (2002).

Zerwer, A.
Parameter Estimation in Finite Element Simulations of Rayleigh Waves. — A. Zerwer, G. Cascante, and J. Hutchinson; 128(3), 250-61 (2002).

Zhang, Jianguo
Modeling of Shallowly Embedded Offshore Pipelines in Calcareous Sand. — Jianguo Zhang, Douglas P. Stewart, and Mark F. Randolph; 128(5), 363-71 (2002).

Zhang, Limin
Closure to "Response of Laterally Loaded Large-Diameter Bored Pile Groups" by Charles W. W. Ng, Limin Zhang, and Dora C. N. Nip. — Charles W. W. Ng, Limin Zhang, and Dora C. N. Nip; 128(11), 964-5 (2002).

Zhu, Hong
Load Transfer Curves along Bored Piles Considering Modulus Degradation. — Hong Zhu and Ming-Fang Chang; 128(9), 764-74 (2002).

Zornberg, Jorge G.
Numerical Analysis of a Tunnel in Residual Soils. — Roberto F. Azevedo, Alexandre B. Parreira, and Jorge G. Zornberg; 128(3), 227-36 (2002).